




Data  
Physical data

|        |                        |
|--------|------------------------|
| Width  | 2.5 mm / 0.098 inches  |
| Height | 77.5 mm / 3.051 inches |
| Depth  | 35 mm / 1.378 inches   |

Material data

|                             |                                                          |
|-----------------------------|----------------------------------------------------------|
| Note (material data)        | Information on material specifications can be found here |
| Color                       | orange                                                   |
| Material group              | I                                                        |
| Insulation material         | Polyamide (PA66)                                         |
| Flammability class per UL94 | V0                                                       |
| Fire load                   | 0.131 MJ                                                 |
| Weight                      | 4.4 g                                                    |

Commercial data

|               |                                  |
|---------------|----------------------------------|
| Product Group | 1 (Rail Mounted Terminal Blocks) |
| eCl@ss 10.0   | 27-14-11-33                      |

Subject to changes. Please also observe the further product documentation!





|                       |               |
|-----------------------|---------------|
| eCl@ss 9.0            | 27-14-11-33   |
| ETIM 8.0              | EC000886      |
| ETIM 7.0              | EC000886      |
| PU (SPU)              | 100 (25) pcs  |
| Packaging type        | box           |
| Country of origin     | CN            |
| GTIN                  | 4017332291637 |
| Customs tariff number | 8538909990    |

## Environmental Product Compliance

|                        |                         |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

## Required accessories

### End plate

|                                                                                    |                                                                                                                                                                                     |                                                                |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| Through terminal block                                                             |                                                                                                                                                                                     |                                                                |
|    | <b>Item no.: 284-904</b><br>2-conductor through terminal block; 10 mm <sup>2</sup> ; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 10,00 mm <sup>2</sup> ; blue   | <a href="http://www.wago.com/284-904">www.wago.com/284-904</a> |
|  | <b>Item no.: 284-902</b><br>2-conductor through terminal block; 10 mm <sup>2</sup> ; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 10,00 mm <sup>2</sup> ; orange | <a href="http://www.wago.com/284-902">www.wago.com/284-902</a> |
|  | <b>Item no.: 284-901</b><br>2-conductor through terminal block; 10 mm <sup>2</sup> ; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 10,00 mm <sup>2</sup> ; gray   | <a href="http://www.wago.com/284-901">www.wago.com/284-901</a> |
|  | <b>Item no.: 284-905</b><br>2-conductor through terminal block; 10 mm <sup>2</sup> ; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 10,00 mm <sup>2</sup> ; black  | <a href="http://www.wago.com/284-905">www.wago.com/284-905</a> |
|  | <b>Item no.: 284-903</b><br>2-conductor through terminal block; 10 mm <sup>2</sup> ; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 10,00 mm <sup>2</sup> ; red    | <a href="http://www.wago.com/284-903">www.wago.com/284-903</a> |
|  | <b>Item no.: 284-906</b><br>2-conductor through terminal block; 10 mm <sup>2</sup> ; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 10,00 mm <sup>2</sup> ; yellow | <a href="http://www.wago.com/284-906">www.wago.com/284-906</a> |
| Ground terminal block                                                              |                                                                                                                                                                                     |                                                                |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



Item no.: 284-907

2-conductor ground terminal block; 10 mm<sup>2</sup>; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 10,00 mm<sup>2</sup>; green-yellow[www.wago.com/284-907](http://www.wago.com/284-907)

## Downloads

### Documentation

#### Bid Text

|                        |             |               |          |
|------------------------|-------------|---------------|----------|
| 284-328<br>X81 - Datei | 2019 Feb 19 | xml<br>2.6 kB | Download |
|------------------------|-------------|---------------|----------|

|                        |            |                |          |
|------------------------|------------|----------------|----------|
| 284-328<br>doc - Datei | 2017 May 2 | doc<br>23.0 kB | Download |
|------------------------|------------|----------------|----------|

#### Additional Information

pdf  
2.3 MB

Download

## CAD/CAE-Data

### CAD data

|                      |     |          |
|----------------------|-----|----------|
| 2D/3D Models 284-328 | URL | Download |
|----------------------|-----|----------|

### CAE data

|                           |     |          |
|---------------------------|-----|----------|
| EPLAN Data Portal 284-328 | URL | Download |
|---------------------------|-----|----------|

|                        |     |          |
|------------------------|-----|----------|
| WSCAD Universe 284-328 | URL | Download |
|------------------------|-----|----------|

|                      |     |          |
|----------------------|-----|----------|
| ZUKEN Portal 284-328 | URL | Download |
|----------------------|-----|----------|

### Asset Administration Shell

|                                    |     |          |
|------------------------------------|-----|----------|
| Asset Administration Shell 284-328 | URL | Download |
|------------------------------------|-----|----------|

## Environmental Product Compliance

### Compliance Search

|                                                                                              |     |          |
|----------------------------------------------------------------------------------------------|-----|----------|
| Environmental Product Compliance 284-328<br>End and intermediate plate; 2.5 mm thick; orange | URL | Download |
|----------------------------------------------------------------------------------------------|-----|----------|

Subject to changes. Please also observe the further product documentation!



## Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.