


Data sheet | Item number: 726-602

Common potential matrix patchboard; Marking 1-24; with 2 input modules
incl. end plate; Color of modules: gray; Numbering of modules arranged
vertically; for 19" racks; Slimline version; 2,50 mm²; dark gray

www.wago.com/726-602



Data

Electrical data

Ratings per IEC/EN

Rated current	24 A
---------------	------

Ratings per IEC/EN 2

Rated current 2	76 A
-----------------	------

Connection data

Connection 1

Connection type 1	Page 1
-------------------	--------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Connection technology	CAGE CLAMP®
Number of connection points	2
Actuation type	Operating tool
Connectable conductor materials	Copper
Solid conductor	0.08 ... 2.5 mm² / 28 ... 14 AWG
Fine-stranded conductor	0.08 ... 2.5 mm² / 28 ... 14 AWG
Strip length	8 ... 10 mm / 0.31 ... 0.39 inches
Wiring direction	Front-entry wiring

Connection 2

Connection type 2	Side 2
Connection technology 2	Push-in CAGE CLAMP®
Number of connection points 2	2
Solid conductor 2	0.2 ... 16 mm² / 24 ... 6 AWG
Fine-stranded conductor 2	0.2 ... 16 mm² / 24 ... 6 AWG
Strip length 2	16 ... 17 mm / 0.63 ... 0.67 inches

Physical data

Width	34.6 mm / 1.362 inches
Height	132 mm / 5.197 inches
Depth	84.2 mm / 3.315 inches

Mechanical Data

Marking	1 ... 24
Design	slimline

Material data

Note (material data)	Information on material specifications can be found here
Color	dark gray
Module color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	2.369 MJ

Subject to changes. Please also observe the further product documentation!



Weight	250.8 g
--------	---------

Commercial data

eCl@ss 10.0	27-24-26-08
eCl@ss 9.0	27-24-26-08
ETIM 8.0	EC001604
ETIM 7.0	EC001604
PU (SPU)	10 (1) pcs
Packaging type	box
Country of origin	DE
GTIN	4055143628679
Customs tariff number	85369010000

Environmental Product Compliance

CAS-No.	7439-92-1
REACH Candidate List Substance	Lead
RoHS Compliance Status	Compliant, With Exemption
RoHS Exemption	6(c) 7(a) 7(c)-I 7(c)-II
SCIP notification number (Austria)	593381f8-6709-4597-927f-664d942e848a
SCIP notification number (Belgium)	cf2bfc66-b037-41b9-9e70-090b6820172e
SCIP notification number (Bulgaria)	70fae80a-e9e0-428e-96e9-29f389b6bbea
SCIP notification number (Czech Republic)	4f480e19-c15b-4891-8eb3-f79a5369be3e
SCIP notification number (Denmark)	a7a82f7a-4a62-4250-a088-7bfbc539a63
SCIP notification number (Finland)	cbb46461-7746-463c-9a24-91c948fc473c
SCIP notification number (France)	a41be08e-94df-4ab3-a115-52f585af4faa
SCIP notification number (Germany)	4640b624-d311-430f-b3d3-0bcf8c4ba8ad
SCIP notification number (Hungary)	b130ecae-eb4d-4f40-8e01-6ce26c8c9bd5
SCIP notification number (Italy)	ecfa8c4d-52e4-4975-a997-4e565d879b40
SCIP notification number (Netherlands)	6821cb6d-a76f-4483-942a-fbfa5d61b1
SCIP notification number (Poland)	a6e33e87-a507-4643-8164-ce0cea251681
SCIP notification number (Romania)	659560ac-4622-40c2-9aa2-eb3aaa1d2643
SCIP notification number (Sweden)	fa297233-ef35-494f-9401-9da91da982af

Approvals / Certificates

General approvals

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Logo	Approval	Additional Approval Text	Certificate name
	CCA DEKRA Certification B.V.	EN 60998	NTR NL-7623
	CSA CSA Group	C22.2 No. 158	1101143
	KEMA/KEUR DEKRA Certification B.V.	EN 60998	71-100850
	UL UL International Germany GmbH	UL 1059	E45172

Declarations of conformity and manufacturer's declarations

Logo	Approval	Additional Approval Text	Certificate name
	EU-Declaration of Conformity WAGO GmbH & Co. KG	-	-
	UK-Declaration of Conformity WAGO GmbH & Co. KG	-	-

Optional accessories

Marking accessories

Marking strip		
	Item no.: 2009-110 Marking strips; for Smart Printer; on reel; not stretchable; plain; snap-on type; white	www.wago.com/2009-110
Marker carrier		

Subject to changes. Please also observe the further product documentation!



Item no.: 726-902
Adaptor; dark gray


www.wago.com/726-902

Marker



Item no.: 2009-115
WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white

www.wago.com/2009-115



Item no.: 793-5501/000-007
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; gray

www.wago.com/793-5501/000-007



Item no.: 793-5501/000-012
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; orange

www.wago.com/793-5501/000-012



Item no.: 793-5501/000-014
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; brown

www.wago.com/793-5501/000-014




Item no.: 793-5501/000-017
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; light green

www.wago.com/793-5501/000-017



Item no.: 793-5501/000-023
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; green

www.wago.com/793-5501/000-023



Item no.: 793-5501/000-024
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; violet

www.wago.com/793-5501/000-024



Item no.: 793-5501/000-005
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; red

www.wago.com/793-5501/000-005



Item no.: 793-5501/000-002
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; yellow

www.wago.com/793-5501/000-002

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

**Item no.: 793-5501/000-006**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; blue

www.wago.com/793-5501**Item no.: 793-5501**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; white

www.wago.com/793-5501**Jumpers**

Jumper

**Item no.: 709-107**Wire commoning chain; 0.5 mm²; insulated; graywww.wago.com/709-107**Terminal blocks**

Supply module

**Item no.: 2016-7611**Spare supply terminal block; 16 mm²; 12 mm; Push-in CAGE CLAMP®; 16,00 mm²; graywww.wago.com/2016-7611**Downloads****Documentation****Bid Text**

726-602	2019 Feb 21	docx	Download
docx - Datei		15.1 kB	
726-602	2019 Feb 19	xml	Download
X81 - Datei		3.5 kB	

Additional Informationpdf
2.3 MB
Download**CAD/CAE-Data****CAE data**

EPLAN Data Portal 726-602	URL	Download
WSCAD Universe 726-602	URL	Download
ZUKEN Portal 726-602	URL	Download

CAD data

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



2D/3D Models 726-602	URL	Download
Asset Administration Shell		
Asset Administration Shell 726-602	URL	Download


Environmental Product Compliance

Compliance Search

Environmental Product Compliance 726-602	URL	Download
Common potential matrix patchboard; Marking 1-24; with 2 input modules incl. end plate; Color of modules: gray; Numbering of modules arranged vertically; for 19" racks; Slimline version; 2,50 mm ² ; dark gray		

Installation Notes


Conductor termination




CAGE CLAMP® connection
Inserting a conductor via 210-719 Operating Tool (2.5 x 0.4 mm blade).

Testing

Subject to changes. Please also observe the further product documentation!



Testing with a 2.3 mm Ø test plug (210-137).




Snapping on an additional module with contact to mounting frame.



Assembling a matrix patchboard with additional module – direct connection to the mounting frame.

Marking



Factory-marked modules (Side 1: 1, 2, 3, 4 ...)



Individual group marking via WMB Multi Marking System

Subject to changes. Please also observe the further product documentation!