


**Data sheet | Item number: 727-163**  
8-level end plate; marking: 0-1-2-3-4-5-6-7--7-6-5-4-3-2-1; 7.62 mm thick;  
white



[www.wago.com/727-163](http://www.wago.com/727-163)



**Data**  
**Physical data**

|        |                        |
|--------|------------------------|
| Width  | 7.62 mm / 0.3 inches   |
| Height | 226 mm / 8.898 inches  |
| Depth  | 58.3 mm / 2.295 inches |

**Mechanical Data**

|         |                                  |
|---------|----------------------------------|
| Marking | 0-1-2-3-4-5-6-7--7-6-5-4-3-2-1-0 |
|---------|----------------------------------|

**Material data**

|                             |                                                          |
|-----------------------------|----------------------------------------------------------|
| Note (material data)        | Information on material specifications can be found here |
| Color                       | white                                                    |
| Material group              | I                                                        |
| Insulation material         | Polyamide (PA66)                                         |
| Flammability class per UL94 | V0                                                       |
| Fire load                   | 0.855 MJ                                                 |
| Weight                      | 28.5 g                                                   |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

## Environmental requirements

|                                  |                 |
|----------------------------------|-----------------|
| Processing temperature           | -35 ... +85 °C  |
| Continuous operating temperature | -60 ... +105 °C |

## Commercial data

|                       |                         |
|-----------------------|-------------------------|
| Product Group         | 12 (Matrix Patch Board) |
| eCl@ss 10.0           | 27-14-11-33             |
| eCl@ss 9.0            | 27-14-11-33             |
| ETIM 8.0              | EC000886                |
| ETIM 7.0              | EC000886                |
| PU (SPU)              | 25 pcs                  |
| Packaging type        | box                     |
| Country of origin     | DE                      |
| GTIN                  | 4017332635363           |
| Customs tariff number | 85389099990             |

## Environmental Product Compliance

|                        |                         |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

## Required accessories

### End plate

|                                                                                    |                                                                                                                                                                                                                                                                       |                                                                                |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| Common potential terminal block                                                    |                                                                                                                                                                                                                                                                       |                                                                                |
|  | <b>Item no.: 727-127/001-000</b><br>8-level same potential terminal block; with locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; marking: 0-1-2-3-4-5-6-7--7-6-5-4-3-2-1; for 35 x 7.5 mounting rail; 1.5 mm²; 1,50 mm²; light gray    | <a href="http://www.wago.com/727-127/001-000">www.wago.com/727-127/001-000</a> |
|  | <b>Item no.: 727-138/001-000</b><br>8-level same potential terminal block; without locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; marking: 0-1-2-3-4-5-6-7--7-6-5-4-3-2-1; for 35 x 15 mounting rail; 1.5 mm²; 1,50 mm²; light gray  | <a href="http://www.wago.com/727-138/001-000">www.wago.com/727-138/001-000</a> |
|  | <b>Item no.: 727-136/001-000</b><br>8-level same potential terminal block; without locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; marking: 0-1-2-3-4-5-6-7--7-6-5-4-3-2-1; for 35 x 15 mounting rail; 1.5 mm²; 1,50 mm²; orange      | <a href="http://www.wago.com/727-136/001-000">www.wago.com/727-136/001-000</a> |
|  | <b>Item no.: 727-128/001-000</b><br>8-level same potential terminal block; without locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; marking: 0-1-2-3-4-5-6-7--7-6-5-4-3-2-1; for 35 x 7.5 mounting rail; 1.5 mm²; 1,50 mm²; light gray | <a href="http://www.wago.com/727-128/001-000">www.wago.com/727-128/001-000</a> |
| <b>Item no.: 727-126/001-000</b>                                                   |                                                                                                                                                                                                                                                                       |                                                                                |

Subject to changes. Please also observe the further product documentation!



8-level same potential terminal block; without locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; marking: 0-1-2-3-4-5-6-7--7-6-5-4-3-2-1; for 35 x 7.5 mounting rail; 1.5 mm²; 1,50 mm²; orange


[www.wago.com/727-126/001-000](http://www.wago.com/727-126/001-000)



**Item no.: 727-137/001-000**

8-level same potential terminal block; with locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; marking: 0-1-2-3-4-5-6-7--7-6-5-4-3-2-1; for 35 x 15 mounting rail; 1.5 mm²; 1,50 mm²; light gray

[www.wago.com/727-137/001-000](http://www.wago.com/727-137/001-000)



**Item no.: 727-125/001-000**

8-level same potential terminal block; with locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; marking: 0-1-2-3-4-5-6-7--7-6-5-4-3-2-1; for 35 x 7.5 mounting rail; 1.5 mm²; 1,50 mm²; orange

[www.wago.com/727-125/001-000](http://www.wago.com/727-125/001-000)



**Item no.: 727-135/001-000**

8-level same potential terminal block; with locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; marking: 0-1-2-3-4-5-6-7--7-6-5-4-3-2-1; for 35 x 15 mounting rail; 1.5 mm²; 1,50 mm²; orange

[www.wago.com/727-135/001-000](http://www.wago.com/727-135/001-000)

#### Terminal block for matrix patching



**Item no.: 727-120/001-000**

8-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm Ø test port; marking: 0-1-2-3-4-5-6-7--7-6-5-4-3-2-1; for 35 x 7.5 mounting rail; 1.5 mm²; 1,50 mm²; gray

[www.wago.com/727-120/001-000](http://www.wago.com/727-120/001-000)



**Item no.: 727-131/001-000**

8-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm Ø test port; marking: 0-1-2-3-4-5-6-7--7-6-5-4-3-2-1; for 35 x 15 mounting rail; 1.5 mm²; 1,50 mm²; white

[www.wago.com/727-131/001-000](http://www.wago.com/727-131/001-000)



**Item no.: 727-134/001-000**

8-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm Ø test port; marking: 0-1-2-3-4-5-6-7--7-6-5-4-3-2-1; for 35 x 15 mounting rail; 1.5 mm²; 1,50 mm²; blue

[www.wago.com/727-134/001-000](http://www.wago.com/727-134/001-000)



**Item no.: 727-123/001-000**

8-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm Ø test port; marking: 0-1-2-3-4-5-6-7--7-6-5-4-3-2-1; for 35 x 7.5 mounting rail; 1.5 mm²; 1,50 mm²; blue

[www.wago.com/727-123/001-000](http://www.wago.com/727-123/001-000)



**Item no.: 727-130/001-000**

8-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm Ø test port; marking: 0-1-2-3-4-5-6-7--7-6-5-4-3-2-1; for 35 x 15 mounting rail; 1.5 mm²; 1,50 mm²; gray

[www.wago.com/727-130/001-000](http://www.wago.com/727-130/001-000)



**Item no.: 727-129/001-000**

8-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm Ø test port; marking: 0-1-2-3-4-5-6-7--7-6-5-4-3-2-1; for 35 x 15 mounting rail; 1.5 mm²; 1,50 mm²; gray

[www.wago.com/727-129/001-000](http://www.wago.com/727-129/001-000)



**Item no.: 727-121/001-000**

8-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm Ø test port; marking: 0-1-2-3-4-5-6-7--7-6-5-4-3-2-1; for 35 x 7.5 mounting rail; 1.5 mm²; 1,50 mm²; white

[www.wago.com/727-121/001-000](http://www.wago.com/727-121/001-000)



**Item no.: 727-132/001-000**

8-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm Ø test port; marking: 0-1-2-3-4-5-6-7--7-6-5-4-3-2-1; for 35 x 15 mounting rail; 1.5 mm²; 1,50 mm²; white

[www.wago.com/727-132/001-000](http://www.wago.com/727-132/001-000)



**Item no.: 727-119/001-000**

8-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm Ø test port; marking: 0-1-2-3-4-5-6-7--7-6-5-4-3-2-1; for 35 x 7.5 mounting rail; 1.5 mm²; 1,50 mm²; gray

[www.wago.com/727-119/001-000](http://www.wago.com/727-119/001-000)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

**Item no.: 727-124/001-000**

8-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm Ø test port; marking: 0-1-2-3-4-5-6-7--7-6-5-4-3-2-1; for 35 x 7.5 mounting rail; 1.5 mm²; 1,50 mm²; blue

[www.wago.com/727-124/001-000](http://www.wago.com/727-124/001-000)

**Item no.: 727-133/001-000**

8-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm Ø test port; marking: 0-1-2-3-4-5-6-7--7-6-5-4-3-2-1; for 35 x 15 mounting rail; 1.5 mm²; 1,50 mm²; blue

[www.wago.com/727-133/001-000](http://www.wago.com/727-133/001-000)

**Item no.: 727-122/001-000**

8-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm Ø test port; marking: 0-1-2-3-4-5-6-7--7-6-5-4-3-2-1; for 35 x 7.5 mounting rail; 1.5 mm²; 1,50 mm²; white

[www.wago.com/727-122/001-000](http://www.wago.com/727-122/001-000)

**Downloads****Documentation****Bid Text**

|                        |             |                |          |
|------------------------|-------------|----------------|----------|
| 727-163<br>X81 - Datei | 2019 Feb 19 | xml<br>2.6 kB  | Download |
| 727-163<br>doc - Datei | 2017 Aug 18 | doc<br>24.1 kB | Download |

**Additional Information**

pdf  
2.3 MB

Download

**CAD/CAE-Data****CAD data**

|                      |     |          |
|----------------------|-----|----------|
| 2D/3D Models 727-163 | URL | Download |
|----------------------|-----|----------|

**CAE data**

|                           |     |          |
|---------------------------|-----|----------|
| EPLAN Data Portal 727-163 | URL | Download |
| WSCAD Universe 727-163    | URL | Download |
| ZUKEN Portal 727-163      | URL | Download |

**Asset Administration Shell**

|                                    |     |          |
|------------------------------------|-----|----------|
| Asset Administration Shell 727-163 | URL | Download |
|------------------------------------|-----|----------|

Subject to changes. Please also observe the further product documentation!



Environmental Product Compliance

Compliance Search

|                                                                                  |     |          |
|----------------------------------------------------------------------------------|-----|----------|
| Environmental Product Compliance 727-163                                         | URL | Download |
| 8-level end plate; marking: 0-1-2-3-4-5-6-7--7-6-5-4-3-2-1; 7.62 mm thick; white |     |          |

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.