




Data  
Mechanical Data

|          |                                                          |
|----------|----------------------------------------------------------|
| Suitable | for double-deck THT male headers; snaps into lower level |
|----------|----------------------------------------------------------|

Material data

|                      |                                                          |
|----------------------|----------------------------------------------------------|
| Note (material data) | Information on material specifications can be found here |
|----------------------|----------------------------------------------------------|

|                             |                  |
|-----------------------------|------------------|
| Color                       | light gray       |
| Material group              | I                |
| Insulation material         | Polyamide (PA66) |
| Flammability class per UL94 | V0               |
| Fire load                   | 0.002 MJ         |
| Weight                      | 0.1 g            |

Commercial data

|               |                        |
|---------------|------------------------|
| Product Group | 3 (Multi Conn. System) |
| eCl@ss 10.0   | 27-44-04-92            |
| eCl@ss 9.0    | 27-44-04-92            |
| ETIM 8.0      | EC002848               |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



|                       |               |
|-----------------------|---------------|
| ETIM 7.0              | EC002848      |
| PU (SPU)              | 500 (100) pcs |
| Packaging type        | box           |
| Country of origin     | DE            |
| GTIN                  | 4017332718011 |
| Customs tariff number | 39269097900   |

## Environmental Product Compliance

|                        |                         |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

## Approvals / Certificates

### Approvals for marine applications

| Logo                                                                              | Approval              | Additional Approval Text | Certificate name |
|-----------------------------------------------------------------------------------|-----------------------|--------------------------|------------------|
|  | LR<br>Lloyds Register | IEC 61984                | 96/20035<br>(E5) |

## Downloads

### Documentation

#### Additional Information

|  |            |               |          |
|--|------------|---------------|----------|
|  | 2019 Apr 3 | pdf<br>2.1 MB | Download |
|--|------------|---------------|----------|

## CAD/CAE-Data

### CAD data

|                      |     |          |
|----------------------|-----|----------|
| 2D/3D Models 734-400 | URL | Download |
|----------------------|-----|----------|

### CAE data

|                      |     |          |
|----------------------|-----|----------|
| ZUKEN Portal 734-400 | URL | Download |
|----------------------|-----|----------|

### Asset Administration Shell

|                                    |     |          |
|------------------------------------|-----|----------|
| Asset Administration Shell 734-400 | URL | Download |
|------------------------------------|-----|----------|

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 734-400

URL


Download

Coding key; to be snapped above bottom level; light gray

---

## Installation Notes

### Coding



Coding a THT double-deck male header –  
lower level.

Subject to changes. Please also observe the further product documentation!