




Color:



Dimensions in mm

The arrangement of the attachments for cable ties allows single conductors or multi-core cables to be secured in different ways. The width of the cable ties must correspond to the hole dimensions of the strain relief plates shown above.

## Data

## Physical data

Width	55 mm / 2.165 inches
Height	1.87 mm / 0.074 inches
Depth	37 mm / 1.457 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastra. 27  
32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

## Mechanical Data

Suitable	for standard male and female connectors (2.5 mm; 3.5 mm; 5 mm; 7.5 mm pin spacing)
----------	--

## Material data

Note (material data)

Information on material specifications can be found here

Color	gray
Fire load	0.11 MJ
Weight	2.6 g

## Commercial data

Product Group	3 (Multi Conn. System)
eCl@ss 10.0	27-44-04-92
eCl@ss 9.0	27-44-04-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	50 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4045454309534
Customs tariff number	85389099990

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Approvals / Certificates

### Approvals for marine applications

Logo	Approval	Additional Approval Text	Certificate name
	LR Lloyds Register	IEC 61984	96/20035 (E5)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH &amp; Co. KG

Hansastraße 27

32423 Minden

Phone: +49 571 887-0 | Fax: +49 571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

## Downloads

### Documentation

#### Bid Text

734-430	2019 Feb 19	xml	<a href="#">Download</a>
X81 - Datei		2.6 kB	
734-430	2017 Apr 27	doc	<a href="#">Download</a>
doc - Datei		24.1 kB	

#### Additional Information

2019 Apr 3	pdf	<a href="#">Download</a>
	2.1 MB	


## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 734-430	<a href="#">URL</a>	<a href="#">Download</a>
Strain relief plate; for female and male connectors; 1 part; gray		

## Installation Notes

### Installation



Strain relief plates for factory or in-the-field assembly

### Application


Subject to changes. Please also observe the further product documentation!



Strain relief plate, for factory assembly

1-conductor female connector, 2.5 mm pin  
spacing, light gray,  
12-pole, with strain relief plate  
733-112/034-000

#### Application



Strain relief plate, for factory assembly

1-conductor female connector, 2.5 mm pin  
spacing, light gray,  
2-pole, with strain relief plate (733-102/032-  
000)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastraße 27  
32423 Minden

Phone: +49 571 887-0 | Fax: +49 571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.