

Color: ■

Data

Material data

Note (material data)

Information on material specifications can be found [here](#)

Color	gray
Fire load	0.134 MJ
Weight	1.9 g

Commercial data

Product Group	18 (X-COM-System)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	100 (25) pcs

Subject to changes. Please also observe the further product documentation!

Packaging type	box
Country of origin	DE
GTIN	4017332333221
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads**Documentation****Bid Text**

769-414 X81 - Datei	2019 Feb 19	xml 2.6 kB	Download
769-414 doc - Datei	2017 May 30	doc 24.1 kB	Download

Additional Information

	pdf 2.3 MB	Download
--	---------------	--------------------------

CAD/CAE-Data**CAD data**

2D/3D Models 769-414	URL	Download
----------------------	---------------------	--------------------------

CAE data

WSCAD Universe 769-414	URL	Download
ZUKEN Portal 769-414	URL	Download

Asset Administration Shell

Asset Administration Shell 769-414	URL	Download
------------------------------------	---------------------	--------------------------

Environmental Product Compliance**Compliance Search**

Subject to changes. Please also observe the further product documentation!

Environmental Product Compliance 769-414


URL

Download

Strain relief plate; for female and male connectors; 1 part; Pin spacing 5 mm; 10- to 15-pole; gray

Installation Notes

Strain relief



Removing a female plug via conductor bundle provided with strain relief plate.



Strain relief plates can be snapped into both male connector and female plug.

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.