

Data sheet | Item number: 769-429
Locking lever; for female connectors; 1 part; Pin spacing 5 mm; 1-pole;
orange

www.wago.com/769-429



Data
Mechanical Data

Suitable	for 1-pole female plugs
----------	-------------------------

Material data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	orange
Fire load	0.008 MJ
Weight	0.3 g

Commercial data

Product Group	18 (X-COM-System)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



ETIM 7.0	EC002848
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332337823
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

Bid Text

769-429 X81 - Datei	2019 Feb 19	xml 2.6 kB	Download
769-429 doc - Datei	2017 May 30	doc 23.6 kB	Download

Additional Information

		pdf 2.3 MB	Download
--	--	---------------	----------

CAD/CAE-Data

CAD data

2D/3D Models 769-429	URL	Download
----------------------	-----	----------

CAE data

WSCAD Universe 769-429	URL	Download
ZUKEN Portal 769-429	URL	Download

Asset Administration Shell

Asset Administration Shell 769-429	URL	Download
------------------------------------	-----	----------

Subject to changes. Please also observe the further product documentation!



Environmental Product Compliance

Compliance Search

Environmental Product Compliance 769-429	URL	Download
Locking lever; for female connectors; 1 part; Pin spacing 5 mm; 1-pole; orange		

Installation Notes

Product family

X-COM
[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!