


Color:



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastraße 27

32423 Minden

Phone: +49 571 887-0 | Fax: +49 571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

Item description

Mounting accessories *WINSTA*® MIDI 2-pole

Choose reliable sustainability for the installation for the implementation of your project: The mounting accessories from the *WINSTA*® MIDI product line. A comprehensive range of accessories complements the *WINSTA*® product line from WAGO. *WINSTA*® MIDI with Push-in CAGE CLAMP® spring pressure connection technology is found in a broad range of individual products you can use for quick, easy and maximally flexible installation.

***WINSTA*® MIDI solutions for your electrical installation – protected against mismating and maintenance-free**

The *WINSTA*® Pluggable Connection System is ideally tailored to the very strict requirements of building installation. It makes electrical installation pluggable, and therefore faster, even more reliable, and error-free. Use of this pre-assembled system decreases assembly times and errors during installation at the construction site. Choose durability and quality – the *WINSTA*® MIDI accessory with protection against mismating from WAGO makes the installation of electrical components substantially easier.

-
- for automation controllers
- rapid, structured electrical installation

Data

Connection data

Connection 1

Pole number	2
-------------	---

Mechanical Data

Mounting type	Screw mounting
Suitable	for distribution connectors (except T-distribution connectors); 2-pole

Material data

Note (material data)	Information on material specifications can be found here
----------------------	--------------------------------------------------------------------------

Color	white
-------	-------

Subject to changes. Please also observe the further product documentation!

Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.12 MJ
Weight	4 g

Environmental requirements

Processing temperature	-5 ... +40 °C
Continuous operating temperature	-35 ... +85 °C
Note on continuous operating temperature	Insulating parts for temperatures ≤ 105 °C

Commercial data

Product Group	20 (Winsta)
eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 8.0	EC002863
ETIM 7.0	EC002863
PU (SPU)	25 pcs
Packaging type	box
Country of origin	DE
GTIN	4050821854531
Customs tariff number	39269097900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

Bid Text

770-1627 X81 - Datei	2019 Feb 19	xml 2.6 kB	Download
770-1627 doc - Datei	2015 Jan 14	doc 23.0 kB	Download

Subject to changes. Please also observe the further product documentation!

CAD/CAE-Data

CAD data

2D/3D Models 770-1627

[URL](#)

[Download](#)

CAE data

ZUKEN Portal 770-1627

[URL](#)

[Download](#)

Asset Administration Shell

Asset Administration Shell 770-1627

[URL](#)

[Download](#)

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 770-1627

[URL](#)

[Download](#)

Mounting plate; 2-pole; for distribution connectors; Plastic; white

Installation Notes

Product family

WINSTA® MIDI

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastra. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.