

Item description

Coding *WINSTA*® MIDI

Choose tried-and-tested sustainability for the installation for the implementation of your project: The coding from the *WINSTA*® MIDI product line. A comprehensive range of accessories rounds out the *WINSTA*® product line from WAGO. The *WINSTA*® MIDI Pluggable Connection System with Push-in CAGE CLAMP® spring pressure connection technology facilitates safe electrification. Due to the built-in test slot, it is possible to check connections even when they are plugged in. That saves time and reduces installation labor and costs.

***WINSTA*® MIDI solutions for your electrical installation – protected against mismating and maintenance-free**

The *WINSTA*® Pluggable Connection System is ideally tailored to the strict requirements of building installation. It makes electrical installation pluggable, and therefore faster, even more reliable, and error-free. Use of this pre-assembled system reduces time spent on assembly and installation errors at the construction site. Take advantage of the pluggable version of our maintenance-free spring pressure connection technology too! Plan your installation with protection against mismating from WAGO.

■

—
Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27
32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

- for automation controllers
- fast, secure installation

Data

Mechanical Data

Suitable	for plug; A- and B-coding
----------	---------------------------

Material data

Note (material data)

Information on material specifications can be found here

Color	gray
Insulation material	Polyamide (PA66)
Flammability class per UL94	VO
Fire load	0.002 MJ
Weight	0.1 g

Environmental requirements

Processing temperature	-5 ... +40 °C
Continuous operating temperature	-35 ... +85 °C
Note on continuous operating temperature	Insulating parts for temperatures ≤ 105 °C

Commercial data

Product Group	20 (Winsta)
eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 8.0	EC002863
ETIM 7.0	EC002863
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332801935
Customs tariff number	39269097900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Subject to changes. Please also observe the further product documentation!

Downloads

Documentation

Bid Text

770-401	2019 Feb 19	xml	Download
X81 - Datei		2.6 kB	
770-401	2015 Jan 13	doc	Download
doc - Datei		22.0 kB	

CAD/CAE-Data

CAD data

2D/3D Models 770-401	URL	Download
----------------------	-----	----------

CAE data

WSCAD Universe 770-401	URL	Download
ZUKEN Portal 770-401	URL	Download

Asset Administration Shell

Asset Administration Shell 770-401	URL	Download
------------------------------------	-----	----------

Environmental Product Compliance


Compliance Search

Environmental Product Compliance 770-401	URL	Download
Coding pin; for plugs; Plastic; gray		

Installation Notes

Coding

Subject to changes. Please also observe the further product documentation!



Insert coding pin into plug (break first) until it engages.

Product family

WINSTA® MIDI

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastraße 27

32423 Minden

Phone: +49 571 887-0 | Fax: +49 571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.