



Data
Physical data

Width	1.5 mm / 0.059 inches
Height	82.2 mm / 3.236 inches
Depth	43.5 mm / 1.713 inches

Material data

Note (material data)	Information on material specifications can be found here
Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.124 MJ
Weight	4.1 g

Subject to changes. Please also observe the further product documentation!

Commercial data

Product Group	17 (TOP JOB Installation Terminal Blocks)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	CN
GTIN	4017332287555
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Required accessories

End plate

Power distribution disconnect terminal block



Item no.: 782-623

1-conductor power distribution disconnect terminal block; 6 mm²; CAGE CLAMP®; 6,00 mm²; gray

www.wago.com/782-623



Item no.: 784-623

1-conductor power distribution disconnect terminal block; 10 mm²; CAGE CLAMP®; 10,00 mm²; gray

www.wago.com/784-623

Through terminal block



Item no.: 782-601

2-conductor through terminal block; 6 mm²; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 6,00 mm²; gray

www.wago.com/782-601



Item no.: 782-604

2-conductor through terminal block; 6 mm²; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 6,00 mm²; blue

www.wago.com/782-604



Item no.: 782-992

2-conductor through terminal block; 6 mm²; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 6,00 mm²; light gray

www.wago.com/782-992



Item no.: 784-601

2-conductor through terminal block; 10 mm²; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 10,00 mm²; gray

www.wago.com/784-601

Item no.: 784-604

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



2-conductor through terminal block; 10 mm²; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 10,00 mm²; blue www.wago.com/784-604



Item no.: 784-992
2-conductor through terminal block; 10 mm²; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 10,00 mm²; light gray www.wago.com/784-992

N-disconnect terminal block



Item no.: 782-613
1-conductor N-disconnect terminal block; 6 mm²; CAGE CLAMP®; 6,00 mm²; blue www.wago.com/782-613



Item no.: 784-613
1-conductor N-disconnect terminal block; 10 mm²; CAGE CLAMP®; 10,00 mm²; blue www.wago.com/784-613

Ground terminal block



Item no.: 782-607/999-950
2-conductor ground terminal block; 6 mm²; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 6,00 mm²; green-yellow www.wago.com/782-607/999-950



Item no.: 782-607
2-conductor ground terminal block; 6 mm²; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 6,00 mm²; green-yellow www.wago.com/782-607



Item no.: 784-607
2-conductor ground terminal block; 10 mm²; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 10,00 mm²; green-yellow www.wago.com/784-607



Item no.: 784-607/999-950
2-conductor ground terminal block; 10 mm²; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 10,00 mm²; green-yellow www.wago.com/784-607/999-950

Downloads

Documentation

Bid Text

Item	Date	File Type	Size	Action
782-317	2019 Feb 19	xml	2.6 kB	Download
X81 - Datei				

782-317	2017 May 2	doc	23.0 kB	Download
doc - Datei				

Additional Information

pdf	2.3 MB	Download
-----	--------	----------

CAD/CAE-Data

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



CAD data

2D/3D Models 782-317	URL	Download
----------------------	-----	----------

CAE data

EPLAN Data Portal 782-317	URL	Download
WSCAD Universe 782-317	URL	Download
ZUKEN Portal 782-317	URL	Download

Asset Administration Shell

Asset Administration Shell 782-317	URL	Download
------------------------------------	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 782-317 End and intermediate plate; 1.5 mm thick; orange	URL	Download
--	-----	----------

Installation Notes

Product family

TOPJOB Classic
[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.