



Data
Electrical data

Rated current	18 A
---------------	------

Physical data

Width	79.2 mm / 3.118 inches
Height	21.5 mm / 0.846 inches
Depth	3.1 mm / 0.122 inches

Material data

Color	light gray
Fire load	0.044 MJ
Weight	4.9 g

Commercial data

Product Group	6 (INTERFACE ELECTRONIC)
eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 8.0	EC002586

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



ETIM 7.0	EC002586
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4045454469382
Customs tariff number	85366990990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

Bid Text

788-116 docx - Datei	2019 Feb 20	docx 15.6 kB	Download
788-116 X81 - Datei	2019 Feb 19	xml 2.5 kB	Download

Additional Information

Disposal and Recycling	V 1.1.0	pdf	Download
Electrical and electronic equipment, Batteries, Packaging	2022 Aug 18	2.2 MB	

CAD/CAE-Data

CAE data

EPLAN Data Portal 788-116	URL	Download
WSCAD Universe 788-116	URL	Download
ZUKEN Portal 788-116	URL	Download

CAD data

2D/3D Models 788-116	URL	Download
----------------------	-----	----------

Asset Administration Shell

Asset Administration Shell 788-116

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



[URL](#) [Download](#)

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 788-116	URL	Download
Jumper; for jumper slot; 6-way; insulated; light gray		

Installation Notes

Subject to changes. Please also observe the further product documentation!