



Data sheet | Item number: 788-123
Accessories for relay modules; Operation status indicator: red; Nominal operating voltage: 24 VAC

www.wago.com/788-123



**Data
Notes**

Note	Only required when using relays without integrated status indicator!
------	--

Technical data

Control circuit

Nominal input current at U_N	0
--------------------------------	---

Operating data

Nominal operating voltage	AC 24 V
Operating voltage	12 ... 24 VAC

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Current consumption at U_N	2.1 mA
------------------------------	--------

Signaling

Status indicator	Red LED
------------------	---------

Safety and protection

Protection type	IP20
-----------------	------

Mechanical data

Mounting type	Pluggable module
---------------	------------------

Material data

Fire load	0.033 MJ
Weight	1.6 g

Commercial data

Product Group	6 (INTERFACE ELECTRONIC)
eCl@ss 10.0	27-37-16-92
eCl@ss 9.0	27-37-16-92
ETIM 8.0	EC002586
ETIM 7.0	EC002586
PU (SPU)	50 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4045454424077
Customs tariff number	85318070000

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

Bid Text

788-123	2019 Feb 20	docx 15.3 kB	Download
---------	-------------	-----------------	----------

Subject to changes. Please also observe the further product documentation!



docx - Datei

788-123	2019 Feb 19	xml	Download
X81 - Datei		2.6 kB	

Additional Information

Disposal and Recycling	V 1.1.0	pdf	Download
Electrical and electronic equipment, Batteries, Packaging	2022 Aug 18	2.2 MB	

CAD/CAE-Data

CAD data

2D/3D Models 788-123	URL	Download
----------------------	-----	----------

CAE data

ZUKEN Portal 788-123	URL	Download
----------------------	-----	----------

EPLAN Data Portal 788-123	URL	Download
---------------------------	-----	----------

WSCAD Universe 788-123	URL	Download
------------------------	-----	----------

Asset Administration Shell

Asset Administration Shell 788-123	URL	Download
------------------------------------	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 788-123	URL	Download
Accessories for relay modules; Operation status indicator: red; Nominal operating voltage: 24 VAC		

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.