




Data
Electrical data

Ratings per IEC/EN

Rated current	24 A
---------------	------

Connection data

Conductor preparation	ultrasonically tip-bonded
-----------------------	---------------------------

Material data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	black
Fire load	0.093 MJ
Weight	10 g

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 8.0	EC000489
ETIM 7.0	EC000489
PU (SPU)	50 (1) pcs
Packaging type	Box
Country of origin	DE
GTIN	4017332258944
Customs tariff number	85444290900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads
Documentation

Bid Text

709-112 X81 - Datei	2019 Feb 19	xml 2.6 kB	Download
709-112 doc - Datei	2017 Aug 31	doc 24.1 kB	Download

Additional Information

	pdf 2.3 MB	Download
--	---------------	----------

CAD/CAE-Data

CAE data

WSCAD Universe 709-112	URL	Download
------------------------	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 709-112
Subject to changes. Please also observe the further product documentation!



[URL](#)

[Download](#)

Wire commoning chain; 2.5 mm²; insulated; black

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.