



Part Number : [2016442120](#)
Product Description : Spot-On Wire-to-Board
Receptacle Housing, 1.50mm Pitch, Dual Row,
12 Circuits, Natural
Series Number : 201644
Status : Active
Product Category : Connector Housings



Documents & Resources


Drawings
[Drawing 2016442120_sd.pdf](#)

3D Models and Design Files
[3D Model 2016442120_stp.zip](#)

Specifications
[Application Specification 2016440000-A00.pdf](#)
[Application Specification 2016440000-A01.pdf](#)
[Packaging Specification 2016449200-200.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements
- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents
- IPC 1752A Class C

- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Connector Housings
Series	201644
Description	Spot-On Wire-to-Board Receptacle Housing, 1.50mm Pitch, Dual Row, 12 Circuits, Natural
Application	Signal, Wire-to-Board
Product Family	Spot-On Wire-to-Board Connector System
Product Name	Spot-On
UPC	889056824941

Physical

Circuits (maximum)	12
Color - Resin	Natural
Gender	Receptacle
Glow-Wire Capable	No
Keying to Mating Part	Yes
Lock to Mating Part	Yes
Material - Resin	PBT
Net Weight	696.000/mg
Number of Rows	2
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	1.50mm
Pitch - Termination Interface	1.50mm
Polarized to Mating Part	Yes
Temperature Range - Operating	-40° to +105°C

Mates With / Use With

Mates with Part(s)

Description	Part Number
1.50mm Pitch, Spot-On Vertical Dual Row Headers with Potting Capability	<u>201645</u>
1.50mm Pitch, Spot-On Vertical Dual Row Headers with Potting Capability	<u>201646</u>

Use with Part(s)

Description	Part Number
Spot-On 1.5 Crimp Terminal, Female, Matte Tin (Sn) Plating, 24-28 AWG	<u>/content/molex/molex-dot-com/us/en/products/product-page.html/2016495000.html</u>
Spot-On Terminal Position Assurance (TPA) Wire-to-Board Retainer, 1.50mm Pitch, 6 Circuits, Grey	<u>/content/molex/molex-dot-com/us/en/products/product-page.html/2016502060.html</u>