PHŒNIX CONTACT

Side element - UM108-SEFE/L - 2959696

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Side element with foot, 5 mm wide (left), for mounting on NS 32 or NS 35/7.5. PCB width: 107.5 mm

Your advantages

☑ Lateral elements with potential ground contact available from the PCB to the DIN rail (EMC)

☑ Flexible size and shape

☑ Wide range of options for external conductor connection

☑ Inexpensive as a result of reducing the number of separate housing parts

☑ Fast assembly on standard NS 35 or NS 32 DIN rails

☑ High degree of mechanical stability by screwing the lateral elements to the profile

☑ The modules can be marked with Phoenix Contact marking material using the marking grooves in the press-drawn section

RoHS

Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
GTIN	4 017918 086343
GTIN	4017918086343
Weight per Piece (excluding packing)	8.740 g
Custom tariff number	85389099
Country of origin	Poland

Technical data

General

Housing type	Panel mounting base
Housing material	PA

Side element - UM108-SEFE/L - 2959696

Technical data

General

Color (RAL)	green

Dimensions

Depth	122.6 mm

Standards and Regulations

Flammability rating according to UL 94	V0

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Classifications

eCl@ss

eCl@ss 10.0.1	27182701
eCl@ss 4.0	27180400
eCl@ss 4.1	27180400
eCl@ss 5.0	27180500
eCl@ss 5.1	27180500
eCl@ss 6.0	27180800
eCl@ss 7.0	27182701
eCl@ss 8.0	27182701
eCl@ss 9.0	27182701

ETIM

ETIM 2.0	EC001031
ETIM 3.0	EC001031
ETIM 4.0	EC001031
ETIM 5.0	EC002779
ETIM 6.0	EC002779
ETIM 7.0	EC002779

UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

Side element - UM108-SEFE/L - 2959696

Approvals

Approvals

Approvals

UL Recognized / EAC

Ex Approvals

Approval details

UL Recognized		http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm	FILE E 240868

EAC			B.01742