

CONNECTOR HOUSINGS



✓ Active

TE CONNECTIVITY (TE)

12P FH PLUG VAL-U-LOK FH GWT/V0

VAL-U-LOK | VAL-U-LOK

1-2296206-2

TE Internal Number: 1-2296206-2

EU RoHS Compliant

Not Yet Reviewed for EU ELV

Connector System Wire-to-Wire

Insertion Force 15 Newton

Sealable No

Centerline (Pitch) 4.2 mm [.165 in]

Row-to-Row Spacing 4.2 mm [.165 in]



PRODUCT DRAWING

English



♣ 3D PDF

DOCUMENTATION

Product Drawings

PLUG HOUSING VAL-U-LOK, GLOW WIRE AND VO

English

CAD Files

3D PDF

PDF

3D

Customer View Model

2D_DXF.ZIP

English

Customer View Model

Customer View Model 3D_STP.ZIP English	
Agency Approvals UL Report Val-U-Lok Connector Housings Report PDF	
English Control of the control of th	
FEATURES	+
Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.	
Product Type Features Connector System Wire-to-Wire Insertion Force 15 Newton Sealable No Row-to-Row Spacing 4.2 mm [.165 in] Connector Style Plug	
Configuration Features Number of Positions 12 Number of Rows 2	
Contact Features Contact Type Socket	
Housing Features Centerline (Pitch) 4.2 mm [.165 in] Housing Material Nylon	
Statement of Compliance Statement of Compliance PDF	

3D_IGS.ZIP

English