

Printers and Scanners / Labels and Accessories for Discontinued Printers / GlobalMark2 Industrial Label Maker Labels and Accessories / GlobalMark2 Industrial Label Maker Labels / GlobalMark Series Indoor-Outdoor Vinyl Labels



GlobalMark Series Indoor-Outdoor Vinyl Labels

Part Number:

113109

Label/Tape Size (in/ft/yd):

4 in W x 100 ft L

Material:

Vinyl

Brady Material Number:

B-595

Color:

White

ADD TO CART

1

OVERVIEW

This durable, low-shrink vinyl with ultra-aggressive adhesive is ideal for labeling pipes, equipment, shelves and nearly any other industrial surface.

- Highly pliable material with high-tack permanent adhesive for rough, highly textured, dirty and harsh environment surfaces--including outdoors
- Conforms and adheres to "difficult" surfaces like painted cinder blocks, painted wood, textured plastic, paper-jacketed pipes and blow-molded cases
- Resistant to exposure to chemicals, greases and oils, salt spray, cleaners and detergents and general industrial grime
- 8-10 year average outdoor durability in temperatures from -40°F to 180°F (-40°C to 82°C); can be applied as low as 0°F (-18°C)

SPECIFICATIONS

Average Outdoor Durability	8 to 10 Years
Brady Material Number	B-595
Display UoM	Roll of 100 Feet
Finish	Gloss
Indoor or Outdoor Use	Indoor/Outdoor Use
Label/Tape Size (in/ft/yd)	4 in W x 100 ft L
Maximum Service Temperature °F	180 °F

Minimum Service Temperature °F	-40 °F
Product Number	113109
Roll Length (in/ft/yd)	100 ft
Roll/Tape Size (in/ft/yd)	4 in W x 100 ft L
Roll Width (in/ft/yd)	4 in
Thickness (in/ft/yd)	0.004 in
Trade Name	GlobalMark®
Adhesive Type	Permanent Acrylic
Applications	Arc Flash Labels, Arrow Tape, Pipe & Valve Marking, Safety & Compliance ID, Visual Workplace Labeling, Warehouse Marking
Color	White
For Use with Printer	GlobalMark® Industrial Label Maker
Label/Media Format	Roll
Material	Vinyl
Material Properties	Can Be Applied at Cold Temperature, Conforms well to irregular and curved surfaces, Durable, Low Shrink
Print Technology	Thermal Transfer
Resistance Properties	Abrasion-Resistant, Chemical-Resistant
Suggested Ribbon Series	R10000

Solutions

[Floor Marking Guide](#)
[GHS Label Compliance](#)
[Lockout Tagout Compliance](#)
[Arc Flash Labeling Requirements](#)
[Cable and Wire Label Options](#)
[Product and Barcode Labeling](#)

Services

[Lockout Tagout Services](#)
[Arc Flash Services](#)
[Confined Space Services](#)
[Visual Workplace Services](#)
[Hazcom GHS Services](#)
[Software Programming & Integration](#)
[Label Template & File Conversion](#)
[Printer Use & Training](#)
[Printer Preventative Maintenance](#)
[Toll and Custom Coating](#)

Help

[Contact Us](#)
[Knowledge Center](#)
[Printer Drivers & Firmware](#)
[Brady Software Updates](#)
[Safety Data Sheets](#)
[Technical Data Sheets](#)
[WEEE RoHS Compliance](#)
[Product Certification](#)
[Printer Registration](#)

Resources

[Find a Distributor](#)
[Printer Selection Tool](#)
[Label Selection Tool](#)
[Digital Catalog](#)
[Request a Catalog](#)



Brady
 (NYSE:BRC)
 is a
 manufacturer
 of complete
 solutions
 that
 identify and
 protect
 people,
 products
 and places.
 Brady's
 products
 help
 customers
 increase
 safety,
 security,
 productivity
 and
 performance
 and include
 high-
 performance
 labels,
 signs, safety
 devices,
 printing
 systems
 and
 software.

Contact
 6555
 W.
 Good
 Hope
 Rd.
 Milwaukee,
 WI
 53223
 Phone:
 888-
 250-
 3082
 Hours:
 7am-
 6pm
 CST
 Monday
 -
 Friday

About
[Corporation](#)
[Privacy](#)
[Policy](#)
[Terms](#)
 and
[Conditions](#)
[Terms](#)
 of Use

Other
Brady
Sites
 Distribu
 Portal
 International
 Sites
 Safety
 Services
 &
 Software
 Smart
 ID
 Brand
 Protection



© 2017 Brady Worldwide, Inc.