



TE Connectivity: Every Connection Counts  
© 2015 TE Connectivity Ltd. family of companies. All Rights Reserved

CONNECTORS



## SPRING FINGER CONTACTS



TE CONNECTIVITY

### TYPE C 3.8H SPRING FINGER

Spring Fingers

3-2199250-5

TE Internal Number: 3-2199250-5

Always EU RoHS/ELV Compliant

Uncompressed Height **3.8 mm [.15 in]**

Width **1.5 mm [.059 in]**

Preloaded **No**

Contact Plating Material **Gold Flash**

Current Rating (A) **2**

Active

**PRODUCT DRAWING**  
English

**3D MODEL**

## Product Drawings

**CUSTOMER DRAWING FOR TYPE C CLIP**

PDF

English

## CAD Files

**3D Model**

PDF

3D

**Customer View Model**

2D\_DXF.ZIP

English

**Customer View Model**

3D\_IGS.ZIP

English

**Customer View Model**

3D\_STP.ZIP

English

## Product Specifications

## Product Specification

**Low Force Scalable Spring Finger For General**

PDF

English

## Qualification Test Report

**Test Report For Low Force Scalable Spring Finger**

PDF

English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing

for all design activity.

Product Type Features	Product Type	<b>Spring Finger</b>
Configuration Features	Preloaded	<b>No</b>
Electrical Characteristics	Current Rating (A)	<b>2</b>
Contact Features	Contact Plating Material	<b>Gold Flash</b>
	Contact Plating Thickness	<b>.5 µm [ 19.685 µin ]</b>
Mechanical Attachment	Mounting Style	<b>Surface Mount</b>
Dimensions	Uncompressed Height	<b>3.8 mm [ .15 in ]</b>
	Width	<b>1.5 mm [ .059 in ]</b>
Packaging Features	Packaging Method	<b>Tape &amp; Reel</b>

Product Compliance

**Statement of Compliance**

PDF

[VIEW ALL PRODUCT COMPLIANCE](#)