

[Connectors](#) > [PCB Connectors](#) > [Wire-To-Board Connectors](#) > [Headers & Receptacles](#)

EP2.5 HDR 2P VERT W/O BOSS,TAPING,BLACK

✓ ACTIVE

Economy Power 2.5

TE Part # **3-2299683-1**

TE Internal #: **3-2299683-1**

Connector Assembly Type : **PCB Mount Header**

PCB Mount Orientation : **Vertical**

Connector System : **Wire-to-Board**

Number of Positions : **2**

Centerline (Pitch) : **2.5 mm [.098 in]**

Add to List ▾

[Similar Products](#)



ORDER SAMPLES

Compatible Parts & Tooling

SHOP OUR DISTRIBUTORS (1)

North America ▾

Distributor	Phone Number	Buy
ARROW ELECTRONICS INC.	1-855-326-4757	Visit Site
9,000 in stock		

We are here to help!

Get in touch with our product experts.

CHAT WITH US

EMAIL US

CALL US

DOCUMENTS

FEATURES

PRODUCT COMPLIANCE

Product Drawings

EP2.5 HDR 2P VERT W/O BOSS,TAPING,BLACK

EP2.5 HDR 2P VERT W/O BOSS,TAPING,BLACK
English

CAD Files

3D PDF

3D_CVM_CVM_3-2299683-1_A.pdf 3D

Customer View Model

ENG_CVM_CVM_3-2299683-1_A.2d_dxf.zip
English

ENG_CVM_CVM_3-2299683-1_A.3d_igs.zip
English

ENG_CVM_CVM_3-2299683-1_A.3d_stp.zip
English

Product Specifications

Application Specification

ENG_SS_114-13315_G.pdf English

Product Specification

ENG_SS_108-2418_H.pdf English

Agency Approvals

UL Report

ENG_AAD_UL_E28476_20111215_1.pdf English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Connector Assembly Type :

PCB Mount Header

Connector System : **Wire-to-Board**

Header Type : **Shrouded**

Sealable : **No**

Connector & Contact Terminates To :

Printed Circuit Board

Product Type : **Connector**

Connector Type : **Connector Assembly**

Glow Wire Rating : **Standard Part - Not Glow Wire**

Configuration Features

Selectively Loaded : **No**

PCB Mount Orientation : **Vertical**

Number of Positions : **2**

Number of Rows : **1**

Backwall/Post Interruptions :

Without

Electrical Characteristics

Operating Voltage (VAC): **250**

Contact Features

Contact Base Material : **Brass**

Contact Shape : **Round**

Contact Mating Area Plating Material :

Tin

Contact Mating Area Plating Material Finish :

Tin

Contact Mating Area Plating Thickness :

2.03 μm [80 μin]

Contact Type : **Pin**

Contact Current Rating (Max) (A):

4.2

Contact Style : **Straight**

PCB Contact Termination Area Plating Thickness :

2.032 μm [80 μin]

Contact Layout : **Inline**

Contact Transmits (Typical) :

Power, Signal (Data)

PCB Contact Termination Area Plating Material :

Tin



Contact Design : **Round Post**

Termination
Features

Termination Method to PC Board :

Through Hole - Solder

Termination Method to Wire & Cable :

Solder

Mechanical
Attachment

PCB Mounting Style : **Through Hole**

PCB Mount Alignment : **Without**

Mating Retention : **With**

PCB Mount Retention : **Without**

Mating Alignment : **With**

Mating Retention Type : **Latch**

Mating Alignment Type : **Polarization**

Contact Retention : **Without**

Housing Features

Centerline (Pitch) : **2.5 mm [.098 in]**

Housing Color : **Black**

Housing Material : **PBT**

Dimensions

Height : **8.8 mm [.346 in]**

Tail Length : **3.4 mm [.134 in]**

Width : **6.4 mm [.252 in]**

PCB Thickness (Recommended) :

1.6 mm [.063 in]

Length : **7.5 mm [.3 in]**

Mating Post Length : **3.6 mm [.142 in]**

Usage Conditions

Operating Temperature Range :

**-55 – 105 °C [131 – 221
°F]**

Operation/Application Circuit Application : **Power**

For Use With : **Connector/Cable
Assembly**

Packaging
Features

Packaging Method : **Tape**

Packaging Quantity : **900**





Statement of
Compliance

[Statement of Compliance](#) pdf

Compatible Parts

 <p>TE Part # 1969443-2 EP 2.5 TPA Retainer, 2 Pos</p> <p>View Product</p>	 <p>TE Part # 2232983-1 EP 2.5 LIF RCPT CONTACT, 2... AWG</p> <p>View Product</p>	 <p>TE Part # 1744423-1 EP 2.5 RCPT CONTACT, 2... AWG</p> <p>View Product</p>	 <p>TE Part # 2232905-1 EP 2.5 LIF RCPT CONTACT, 2... AWG</p> <p>View Product</p>
--	---	--	---

Also in the Series | Economy Power 2.5

 <p>PCB Latches, Locks & Retainers (36)</p>	 <p>Wire-to-Board Connector Contacts (6)</p>	 <p>Wire-to-Board Connector Housings (196)</p>	 <p>Wire-to-Board Headers & Receptacles (272)</p>
--	---	--	--

<p>About TE Connectivity</p> <ul style="list-style-type: none"> Our Company Events TE News Center Careers Investors Corporate Responsibility Terms and Conditions of Sale 	<p>For Partners</p> <ul style="list-style-type: none"> Distributors Suppliers 	<p>Customer Support</p> <ul style="list-style-type: none"> Email or Call Us Find Authorized Distributors What's New on TE.com Product FAQs 	<p>CALL US</p>	<p>LIVE CHAT</p>	<p>United States</p> <p>Select Country & Language</p> <ul style="list-style-type: none"> United States (EN) Germany (DE) China (中文) Japan (日本語) <p>Find Your Country/Region ▾</p>
--	---	--	-----------------------	-------------------------	---