


## Protective covers - VS-08-SD-F - 1652606

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

Protective cover, IP67, flat design, to cover the contact insert in the panel mounting frame, color: gray



### Key commercial data

Packing unit	1 pc
Minimum order quantity	5 pc
GTIN	 4 017918 953034
Weight per Piece (excluding packing)	3.64 GRM
Custom tariff number	39235090
Country of origin	Germany

### Technical data

#### Mechanical characteristics

Connection profile	RJ45
Locking type	Without
Color	gray

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 80 °C
Degree of protection	IP67

#### Material data

Inflammability class according to UL 94	V0
Housing material	PA
Material	Plastic
Sealing material	EDPM, self-greasing

# Protective covers - VS-08-SD-F - 1652606

## Technical data

### Material data

Seal material	EDPM, self-greasing
---------------	---------------------

## Classifications

### eCl@ss

eCl@ss 4.0	27141210
eCl@ss 4.1	27141210
eCl@ss 5.0	27149110
eCl@ss 5.1	27149110
eCl@ss 6.0	27149110
eCl@ss 7.0	27440208
eCl@ss 8.0	27440208

### ETIM


ETIM 2.0	EC000241
ETIM 3.0	EC002040
ETIM 4.0	EC002040
ETIM 5.0	EC002040

### UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

## Drawings

Dimensioned drawing



Protective cover, IP67

