

## D-SUB EMC inner sleeve - VS-09-TI-2EMV - 1688476

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



D-SUB EMC inner sleeve, for sleeve housing VS-09-..., shell size 1, shielded



### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	5 pc
Weight per Piece (excluding packing)	20.89 g
Custom tariff number	85389099
Country of origin	Germany

### Technical data

#### Mechanical characteristics

Number of positions	9
Cable exit	Angled
Color	Bare metallic

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 80 °C
---------------------------------	------------------

#### Material data

Housing material	Nickel silver
------------------	---------------

#### Electrical characteristics

Number of positions	9
---------------------	---

## D-SUB EMC inner sleeve - VS-09-TI-2EMV - 1688476

### Classifications

#### eCl@ss

eCl@ss 4.0	27140816
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27260705
eCl@ss 7.0	27440309
eCl@ss 8.0	27440213

#### ETIM

ETIM 2.0	EC001121
ETIM 3.0	EC001132
ETIM 4.0	EC002641
ETIM 5.0	EC001133

#### UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

### Drawings

Dimensional  
drawing

D-  
SUB  
EMC  
inner  
sleeve