



This document is the property of Amphenol Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.



CUSTOMER DRAWING

REVISIONS				
SYM	ECN No.	DESCRIPTION	DATE	APPROVED
A		RELEASE FOR RoHS	03/09/2005	Bodhi Chih

ORIGINAL



RECOMMENDED PCB LAYOUT



NOTES:

1. FRONT SHELL FINISH: SELECTIVE ZINC OR TIN OR NICKEL PLATED
2. CONTACTS FINISH: SELECTIVE GOLD PLATED
3. INSULATOR: PBT UL 94V-0, COLOR- BLACK
4. THIS PRODUCT DOESN'T CONTAIN ENVIRONMENTAL HAZARDOUS MATERIALS PER DIRECTIVE 2002/95/EC FOR RoHS.
5. THE PRODUCT MUST BE FOR DIP PROCESS ONLY



PART NUMBERS	NO. OF CONTACTS	DIM. A	DIM. B	DIM. C	DIM. D	TOLERANCE m/m	APPROVALS		DATE	TITLE	Amphenol® Amphenol Corporation Amphenol Taiwan Corporation		
							DRAWN	CHECKED	APPROVED				
G17C 090X X31 EU	9	30.84	24.99	16.24	11.08	x. ±0.30	Sondra Sang		03/09/05	G17C SERIES D-SUB RECEPTACLE R/A, PCB MOUNT 8.08 MM FOOTPRINT	SCALE	N.A.	
G17C 150X X31 EU	15	39.24	33.32	24.56	19.39	x.x ±0.25	Laura Su		03/09/05		SHEET	1 OF 1	
G17C 250X X31 EU	25	53.04	47.04	38.38	33.24	x.xx ±0.15	Ken Lin for		03/09/05		DRAWING NO.	DSUB-G17CXX0XX31EU-25	
G17C 370X X31 EU	37	69.32	63.50	54.76	49.86	x.xxx ±0.08					REV.	A	
						ANGULAR ±2°					UNIT	MM	
						UNLESS OTHERWISE SPECIFIED				SIZE	A4	PART NO.	G17C XXOX X31 EU

This document is the property of Amphenol Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.



CUSTOMER DRAWING

REVISIONS				
SYM	ECN No.	DESCRIPTION	DATE	APPROVED
A		RELEASE FOR RoHS	07/08/2005	Henry Ko

ORIGINAL



RECOMMENDED PCB LAYOUT




NOTES:

1. FRONT SHELL FINISH: TIN PLATED
2. CONTACTS FINISH: SELECTIVE GOLD PLATED
3. INSULATOR: PBT GLASS FIBER FILLED UL 94V-0, COLOR- BLACK
4. THIS PRODUCT DOESN'T CONTAIN ENVIRONMENTAL HAZARDOUS MATERIALS PER DIRECTIVE 2002/95/EC FOR RoHS
5. THE PRODUCT MUST BE FOR DIP PROCESS ONLY

PART NUMBERS	NO. OF CONTACTS	DIMENSIONS				TOLERANCE m/m	APPROVALS	DATE	TITLE	Amphenol® Amphenol Corporation Amphenol East Asia Limited
		A	B	C	D					
G17C 091 X132 EU	9	30.81	24.99	16.92	11.09	x. ±0.30	Sondra Sang	07/08/05	G17C SERIES D-SUB R/A, PLUG 8.08MM FOOTPRINT 25 POSITIONS	SCALE N.A. SHEET 1 OF 1
G17C 151 X132 EU	15	39.14	33.32	25.50	19.39	x.x ±0.25				
G17C 251 X132 EU	25	53.04	47.04	38.96	33.24	x.xx ±0.15	Laura Su	07/08/05		
G17C 371 X132 EU	37	69.32	63.50	55.42	49.86	x.xxx ±0.08	Ken Lin for	07/08/05	SIZE PART NO. A4 G17C XX1X 132 EU	DRAWING NO. DSUB-G17CXX1X132EU-25
						ANGULAR ±2°				
UNLESS OTHERWISE SPECIFIED							UNIT MM			

PART NUMBER SYSTEM **PNS-17C** **Rev. C**

ORIGINAL



- ! All contacts are in 50μ" nickel underplate
- ! All specified numbers are minimum thickness of plating.
- ! The variation code may supersede some major specifications defined by this standard part number system
- ! For part number with a variation code. Please refer to the specific set of data sheets released for that

				TITLE		PRODUCT SERIES	
				G17C SERIES, PART NUMBER		G17C	
C	NE-05266	Henry Ko	08/30/2005	This document is the property of Amphenol Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.			
B	NE-97252	Arthur Huang	11/26/1997				
A		Arthur Huang	09/23/1997				
SYM	ECO NO.	APPROVED	DATE				
PREPARED		DATE		CHECKED		DATE	
Sondra sang		08/30/2005		Laura Su		08/30/2005	
				APPROVED		DATE	
				Ken Lin for		08/30/2005	