

[Connectors](#) > [Automotive Connectors: Car, Truck, Bus, & Off-Road](#) > [Automotive, Truck, Bus, & Off-Road Housings](#)
 > [AMP MCP, SEALED CONNECTOR HOUSING](#)

HYB SLD 38P PLUG ASSY(L) TYPE2



✓ ACTIVE

AMP MCP Connector System ,
AMP MCP Hybrids

TE Part # **3-2219210-3**

TE Internal #: **3-2219210-3**

[All AMP MCP, SEALED CONNECTOR HOUSING \(156\)](#)

Connector Style : **Housing for female terminals**

Mating Tab Width (mm): **1.5, 2.8, 6.3**

Mating Tab Width (in): **.059, .11, 2.48**

Connector System : **Wire-to-Board, Wire-to-Device**

Number of Positions : **38**

Centerline (Pitch) (mm): **4, 55.8, 57.6**

Centerline (Pitch) (in): **.157, 2.19, 2.26**

 [Add to List](#) ▼



ORDER SAMPLES

[Compatible Parts & Tooling](#)

SHOP OUR DISTRIBUTORS

North America ▼

Request pricing, availability and customization options

[CONTACT US](#)



We are here to help!

Get in touch with our product experts.



CHAT WITH US



EMAIL US



CALL US

DOCUMENTS

FEATURES

PRODUCT COMPLIANCE

Product Drawings

HYB SLD 38P PLUG ASSY(L) TYPE2

 [HYB SLD 38P PLUG ASSY\(L\) TYPE2](#) English

CAD Files

3D PDF

 [3D_CVM_CVM_3-2219210-3_B.pdf](#) 3D

Customer View Model

 [ENG_CVM_CVM_3-2219210-3_B.2d_dxf.zip](#)

English

 [ENG_CVM_CVM_3-2219210-3_B.3d_igs.zip](#)

English

 [ENG_CVM_CVM_3-2219210-3_B.3d_stp.zip](#)

English

Product Specifications

Product Specification

 [ENG_SS_108-61230_A.pdf](#) English



Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.



Product Type Features	Connector Style : Housing for female terminals
	Connector System : Wire-to-Board, Wire-to-Device
	Sealable : Yes
	Hybrid Connector : Yes
	Primary Locking Feature : On the Terminal
	Strain Relief : Add By Accessory
	Row-to-Row Spacing : 4 mm [.157 in]
Configuration Features	Number of Positions : 38
	Number of Rows : 3
Body Features	Color : Black
	Connector Code : 2
	Cable Exit Angle : 90°
	Body Material : PBT GF
Contact Features	Mating Tab Width (mm): 1.5, 2.8, 6.3
	Mating Tab Width (in): .059, .11, 2.48
Mechanical Attachment	Mounting Feature : Without
	Terminal Position Assurance : Yes
	Polarized : Yes
Housing Features	Centerline (Pitch) (mm): 4, 55.8, 57.6
	Centerline (Pitch) (in): .157, 2.19, 2.26
Dimensions	Width : 93.59 mm [3.685 in]
	Height : 36.1 mm [1.421 in]
	Length : 49.83 mm [1.962 in]
Usage Conditions	Operating Temperature Range : -40 – 125 °C [-40 – 257 °F]
Operation/Application	Circuit Application : Power & Signal
Industry Standards	UL Flammability Rating : UL 94-HB

Other	Connector Position Assurance Capable : No Serviceable : Yes
Statement of Compliance	Statement of Compliance pdf

Compatible Parts

 TE Part # 1-2219215-2 HYB SLD 38P COVER HSG ... CPA View Product	 TE Part # 1-2219215-3 HYB SLD 38P COVER ... CPA GRY View Product	 TE Part # 2219215-1 HYB SLD 38P COVER ASSY View Product	 TE Part # 2219215-2 HYB SLD 38P COVER ASSY View Product
--	--	--	---

Also in the Series | AMP MCP Connector System

 Automotive Connector Caps & Covers (25)	 Automotive Connector Locks & Position Assurance (12)	 Automotive Seals & Cavity Plugs (6)	 Automotive, Truck, Bus, & Off-Road Headers (30)
---	--	--	---


Also in the Series | AMP MCP Hybrids

	
---	---


Automotive
Connector Caps &
Covers (6)

Automotive, Truck,
Bus, & Off-Road
Housings (47)


Customers Also Bought



TE Part # 928289-1
ABDECKKAPPE
F829227



TE Part # 1746954-1
S11 FUSE RELAY BOX
ASSEMBLY



TE Part # 85222-1
E-J MK-II(+) 15P CAP
DBL



TE Part # 1-1534121-5
MQS ABDECKKAP6P,
BL

[About TE Connectivity](#)

[For Partners](#)

[Customer Support](#)

[CALL US](#)

[LIVE CHAT](#)

[United States](#)