

Fiber optics - MC 1,5/10-LWL 1,5-3,5 - 1841161

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Fiber optics, Pitch: 3.5 mm, Number of positions: 10, Dimension a: 1.5 mm, Color: transparent



Product Features

- Snapping onto the rear of the standard MC header
- 10-pos., can be separated for other numbers of positions
- Minimum size: 2-pos.
- Bending of the light coming from low-profile SMD LEDs by 90°, making it visible from the front



Key Commercial Data

Packing unit	1 pc
Minimum order quantity	50 pc
Weight per Piece (excluding packing)	3.9 g
Custom tariff number	85366990
Country of origin	Germany

Classifications

eCl@ss

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27061002
eCl@ss 7.0	27061002
eCl@ss 8.0	27149249

ETIM

ETIM 3.0	EC001476
----------	----------

Fiber optics - MC 1,5/10-LWL 1,5-3,5 - 1841161

Classifications

ETIM

ETIM 4.0	EC001476
ETIM 5.0	EC002609

UNSPSC

UNSPSC 6.01	30211810
UNSPSC 7.0901	39121409
UNSPSC 11	39121409
UNSPSC 12.01	39121409
UNSPSC 13.2	39121409

Approvals

Approvals

Approvals

EAC / EAC

Ex Approvals

Approvals submitted

Approval details

EAC

EAC

Drawings

Fiber optics - MC 1,5/10-LWL 1,5-3,5 - 1841161

Dimensional drawing

