

Honeywell Sensing and Control

Search

narrow your search

- Products**
- Controls Monitoring and Lighting (286)
  - Machine Safety (1727)
  - Sensors (6165)
  - Switches (9781)
  - Wireless (45)

- Technology**
- Control and Instrumentation (890)
  - Electromechanical (9307)
  - Magnetic (541)
  - Platinum thin film (56)
  - Thick Film (1372)
  - More...

new products

New Wireless Products

Go farther. Work smarter. Explore new possibilities. Just by cutting the cord and making the switch.



Wireless Web Site WGLA and WPMM XYR6000™

find out more

white papers

- Wireless Switches Offer Unlimited Benefit
- Basic Switches Are Not Created Equal
- Applying Precision Switches
- Sensors for Medical Devices
- New Ways to Measure Torque
- Choosing Safety Switches
- Specifying Hour Meters

Need help?

Click here to contact us

CSNG251 ( Home : Products : Sensors » Current Sensors » Closed Loop » CSN )



Actual product appearance may vary.

CSN Series closed loop current sensor, measures ac, dc or impulse current, 100 A nominal, ±180 amp range, offset pin, 2000 turn

[Sales & Service](#) [Distributor Inventory](#)

Overview Specs Documentation Application Notes

Product Specifications

Product Type	Closed Loop Linear
Sensed Current Type	ac or dc
Sensed Current Range	±180 A
Package Type	Thru Hole PCB Mount
Output Type	Current
Continuous Current	±180 A
Operate Current	100 A RMS @ 25 °C
Supply Current	±10 mA + Output
Supply Voltage	±15.0 Vdc
Offset Current	< ±0.1 mA
Offset Current Drift	< ±0.25 mA
Coil Resistance	100 Ohm
Response Time	< 0.5 μs
Coil Turns	2000
Output Nominal	50 mA
Operating Temperature	-40 °C to 85 °C [-40 °F to 185 °F]
Storage Temperature	-40 °C to 90 °C [-40 °F to 194 °F]
Measuring Resistance	0 Ohm min., 125 Ohm max.
Housing Material	Glass-filled PBT (UL94-V0)
Mounting	PCB on 3 Pins
Pinout Style	Offset
Accuracy	±0.5 %
Availability	Global
Comment	Larger thru hole.
UNSPSC Code	411121
UNSPSC Commodity	411121 Transducers
Series Name	CSN

contacts

- Customer Service
- Technical Support
- Global Sales & Service
- View Site Demo
- Site Comments?

meet dr. larry

VIDEO - Dr. Larry Goldstein explains our newest and best technologies.



Meet Dr. Larry

my links

- Login to iCOM
- Login to Rep/AD Portal
- Login to Digital University

News Center

- Honeywell Introduces TruStability® NSC Series. Uncompensated / Unamplified Board Mount Pressure Sensors
- HONEYWELL EXPANDS ITS LIMITLESS™ PLATFORM WITH THE LAUNCH OF ITS GLOBALLY AVAILABLE INDUSTRIAL WIRELESS RECEIVER
- HONEYWELL EXTENDS ITS TRUSTABILITY® PRESSURE SENSOR PRODUCT LINE WITH A SINGLE SIDE LIQUID MEDIA OPTION
- HONEYWELL ADDS NEW 100° AND 180° ARC CONFIGURATIONS TO ITS SMART POSITION SENSOR PORTFOLIO
- HONEYWELL INTRODUCES ITS HAWK™ RESOLVERS 1-INCH SERIES, FULLY HOUSED CONFIGURATION
- HONEYWELL INTRODUCES MICROPOWER OMNIPOLAR DIGITAL HALL-EFFECT SENSOR ICS WITH LOW SUPPLY VOLTAGE AND ULTRA LOW TYPICAL CURRENT

MICRO SWITCH Anniversary site