

2325347-1

✓ ACTIVE

Power Versa-Lock | Power Versa-Lock 5.0

TE Internal #: 2325347-1

Power Versa-Lock 5.0, Rectangular Connector Seals, Interface Seal, Wire-to-Wire, 1 Position, Sealable, Wire & Cable, Power & Signal

[View on TE.com >](#)

Connectors > Rectangular Connectors > Rectangular Connector Accessories > Rectangular Connector Seals

Connector Seal Type: **Interface Seal**Connector System: **Wire-to-Wire**Number of Positions: **1**Sealable: **Yes**Connector & Contact Terminates To: **Wire & Cable**

Features

Product Type Features

| | |
|-----------------------------------|----------------|
| Accessory Color | Blue |
| Product Type | Accessory |
| Connector Seal Type | Interface Seal |
| Connector System | Wire-to-Wire |
| Sealable | Yes |
| Connector & Contact Terminates To | Wire & Cable |

Configuration Features

| | |
|---------------------|---|
| Number of Positions | 1 |
|---------------------|---|

Body Features

| | |
|---------------|-----------------|
| Material | Silicone Rubber |
| Seal Color | Blue |
| Seal Material | Silicone Rubber |

Usage Conditions

| | |
|-----------------------------|-----------------------------|
| Operating Temperature Range | -30 – 105 °C [-22 – 221 °F] |
|-----------------------------|-----------------------------|

Operation/Application

| | |
|---------------------|------------------------------------|
| For Use With | Power Versa-Lock Sealed Connectors |
| Circuit Application | Power & Signal |

Other

| | |
|---------|------|
| Comment | IP67 |
|---------|------|

Product Compliance

For compliance documentation, visit the product page on TE.com>

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Not Yet Reviewed |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not reviewed for solder process capability |

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 1-2345728-1
Power Versa-Lock PLUG, 1X1 KEY A

Also in the Series | Power Versa-Lock 5.0



Customers Also Bought



Documents

CAD Files[3D PDF](#)

3D

Customer View Model[ENG_CVM_CVM_2325347-1_A.2d_dxf.zip](#)

English

Customer View Model[ENG_CVM_CVM_2325347-1_A.3d_igs.zip](#)

English

Customer View Model[ENG_CVM_CVM_2325347-1_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.**Product Specifications**[Engineering Report](#)

English