



✓ Active

TE CONNECTIVITY (TE)

132-0119-0002=PLUG,RTANGLEGC-

Microdot | SM , SMA

132-0119-0002

TE Internal Number: 5-1532005-4

EU RoHS Compliant

EU ELV Compliant

Connector Interface SMB

Connector Style Plug

Mated Outer Diameter (Approximate) 4.75 mm [.187 in]

Impedance (Ω) 50

Coupling Mechanism Threaded

 **PRODUCT DRAWING**
English

DOCUMENTATION

Product Drawings

132-0119-000X=RT ANGLE PLUG ENVIRONMENTAL GOLDEN CRIMP 50 OHM

PDF [\(TIFF AVAILABLE\)](#)

English

Instruction Sheets

Instruction Sheet (U.S.)

Golden Crimp And Crimp Silver Right-Angle Connectors

PDF

English

FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Connector Interface SMB

Connector Style Plug

Sealable Yes

Connector & Contact Terminates To Wire & Cable

Electrical Characteristics

Impedance (Ω) 50

Body Features

Cable Connector Orientation Right Angle

Body Material Brass

Body Plating Material Gold

Contact Features

Center Contact Plating Material Gold

Connector Product Type Connector Assembly

Termination Features

Termination Method to Wire & Cable Crimp

Mechanical Attachment

Coupling Mechanism Threaded

Dimensions

Mated Outer Diameter (Approximate) 4.75 mm [.187 in]

Packaging Features

Packaging Method Package

Other

Coupling Nut Style Knurled

Grade Commercial

Thread Size 4.83 [.19] - 32

PRODUCT COMPLIANCE



Statement of Compliance

[Statement of Compliance](#)

PDF

