


## Swivel/Tilt Wall Mount with Arms for 17" to 42" TVs and Monitors, UL certified

MODEL NUMBER: DWM1742MA



Hangs a flat-panel television, monitor or other display on the wall. Ideal for home theaters, classrooms, boardrooms, hotels, bars and restaurants. Swivels and tilts to provide optimal viewing angles.

### Description

The VESA-compliant DWM1742MA Swivel/Tilt Wall Mount allows you to mount your flat-panel television, monitor or other display on the wall. Ideal for home theaters, classrooms, boardrooms, hotels, bars and restaurants, it fits most flat-panel displays from 17 to 42 inches. The full-motion swivel arm can be adjusted for angle to give you maximum flexibility in positioning your display to fit your environment and comfort level. A 180° swivel, -15° to +15° tilt and -3° to +3° screen level adjustment capability minimizes glare and provides comfortable viewing from multiple angles. Durable all-metal frame with scratch-resistant powder-coated finish supports up to 77 lbs (34.9 kgs). Mounting hardware included. Conforms to VESA-compliant displays with any of the following mounting hole patterns: 75 x 75 mm, 75 x 100 mm, 75 x 200 mm, 100 x 75 mm, 100 x 100 mm, 100 x 200 mm, 200 x 75 mm, 200 x 100 mm and 200 x 200 mm.

### Features

**Mounts Your TV or Monitor to the Wall** Fits most flat-panel televisions, monitors and other displays from 17 to 42 in. Ideal for home theaters, classrooms, boardrooms, hotels, bars and restaurants Full-motion swivel arm adjusts for angle Mounting hardware included UL certified

**Convenient One-Touch Adjustment** 180° swivel, -15° to +15° tilt and -3° to +3° screen level adjustment capability provides comfortable viewing from multiple angles

**Durable Metal Construction** Supports up to 77 lbs (34.9 kgs) Scratch-resistant powder-coated finish blends with any décor Display cables attach to mount to reduce clutter

**VESA Compliance** Supports the following VESA mounting hole patterns: 75 x 75 mm, 75 x 100 mm, 75 x 200 mm, 100 x 75 mm, 100 x 100 mm, 100 x 200 mm, 200 x 75 mm, 200 x 100 mm and 200 x 200 mm

### Highlights

- Fits most flat-panel displays from 17 to 42 in.
- One-touch adjustment for comfortable viewing
- 180° swivel, -15° to +15° tilt and -3° to +3° screen adjustment
- Supports up to 77 lbs (34.9 kgs)
- UL certified

### Package Includes

- Arm assembly
- (2) Top/bottom covers
- Middle cover
- Mounting template
- Cable cover
- Cable clip
- M4 x 5 screw
- (4) M4 x 14 screws
- (4) M5 x 14 screws
- (4) M6 x 14 screws
- (4) M8 x 20 screws
- (4) D5 washers
- (4) D8 washers
- (8) Small spacers
- (4) Anchor bolts
- (4) Concrete anchors
- (4) D6 washers
- Hex key
- Owner's manual

## Specifications

| OVERVIEW |              |
|----------|--------------|
| UPC Code | 037332183545 |



Powering Business Worldwide



|                                      |                                                                           |
|--------------------------------------|---------------------------------------------------------------------------|
| Device Compatibility                 | Monitor/HDTV                                                              |
| <b>PHYSICAL</b>                      |                                                                           |
| Color                                | Black                                                                     |
| Material of Construction             | Steel                                                                     |
| VESA Pattern (mm)                    | 100x100; 100x200; 100x75; 200x100; 200x200; 200x75; 75x100; 75x200; 75x75 |
| Motion                               | Full                                                                      |
| Mounting Location                    | Wall                                                                      |
| Degrees of Motion                    | -15/+15 Tilt; 180 Swivel; -3/+3 Level Adjustment                          |
| Minimum Screen Size (in.)            | 17                                                                        |
| Minimum Screen Size (cm)             | 43.18                                                                     |
| Maximum Screen Size (in.)            | 42                                                                        |
| Maximum Screen Size (cm)             | 106.68                                                                    |
| Maximum Weight Capacity (lbs.)       | 77                                                                        |
| Maximum Weight Capacity (kg)         | 35                                                                        |
| Min/Max Arm Extension (in.)          | 2.21 min to 20.08 max                                                     |
| Min/Max Arm Extension (cm)           | 5.6 min to 51 max                                                         |
| Number of Displays                   | 1                                                                         |
| Shipping Dimensions (hwd / in.)      | 3.40 x 15.60 x 11.70                                                      |
| Shipping Dimensions (hwd / cm)       | 8.64 x 39.62 x 29.72                                                      |
| Shipping Weight (lbs.)               | 8.50                                                                      |
| Shipping Weight (kg)                 | 3.86                                                                      |
| Unit Dimensions (hwd / in.)          | 11.100 x 8.740 x 21.960                                                   |
| Unit Dimensions (hwd / cm)           | 28.2 x 49.4 x 22.2                                                        |
| Unit Weight (lbs.)                   | 7.88                                                                      |
| Unit Weight (kg)                     | 3.57                                                                      |
| Assembly Required                    | Yes                                                                       |
| <b>FEATURES &amp; SPECIFICATIONS</b> |                                                                           |
| Antimicrobial                        | No                                                                        |
| Cord Management                      | Yes                                                                       |
| Tools Necessary                      | Yes                                                                       |
| Security Lock                        | No                                                                        |
| <b>STANDARDS &amp; COMPLIANCE</b>    |                                                                           |
| Product Certifications               | UL 2442                                                                   |
| Product Compliance                   | RoHS; REACH                                                               |

WARRANTY & SUPPORT

|                                        |                         |
|----------------------------------------|-------------------------|
| Product Warranty Period<br>(Worldwide) | 5-year limited warranty |
|----------------------------------------|-------------------------|

1000 Eaton Boulevard  
Cleveland, OH 44122  
United States  
<https://tripplite.eaton.com>

© 2024 Eaton. All Rights Reserved.  
Eaton is a registered trademark. All other trademarks  
are the property of their respective owners.