




RoHS Compliant

BOMcheck.net



Data

Connection data

Pole No.	2
Number of levels	1

Geometrical Data

Pin spacing	5 mm / 0.197 inch
Width	9.8 mm / 0.386 inch
Height	12 mm / 0.472 inch
Depth	2.7 mm / 0.106 inch
Solder pin length	3.4 mm
Solder pin diameter	1 mm
Drilled hole diameter with tolerance	1.3 ^(+0.05) mm

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



Mechanical data

Suitable

Pin spacing: 5 mm / 0.197 inch

Plug connection

Contact type (pluggable connector)

Male connector/plug

Connector (connection type)

for PCB

PCB contact

PCB contact

THT

Material Data

Weight

0.3 g

Commercial data

Product Group

4 (Printed Circuit)

Packaging type

BOX

Country of origin

DE

GTIN

4044918368117

Customs tariff number

85369010000

Counterpart

Downloads

Documentation

Additional Information

Technical explanations

Apr 3, 2019

pdf
3.6 MB[Download](#)

CAD/CAE-Data

CAE data

EPLAN Data Portal 806-902

[URL](#)[Download](#)

PCB Design

Symbol and Footprint 806-902

[URL](#)[Download](#)

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



CAX data for your PCB design, consisting of "schematic symbols and PCB footprints", allow easy integration of the WAGO component into your development environment.

Supported formats:

- Accel EDA 14 & 15
- Altium 6 to current version
- Cadence Allegro
- DesignSpark
- Eagle Libraries
- KiCad
- Mentor Graphics BoardStation
- Mentor Graphics Design Architect
- Mentor Graphics Design Expedition 99 and 2000
- OrCAD 9.X PCB and Capture
- PADS PowerPCB 3, 3.5, 4.X, and 5.X
- PADS PowerPCB and PowerLogic 3.0
- PCAD 2000, 2001, 2002, 2004, and 2006
- Pulsonix 8.5 or newer
- STL
- 3D STEP
- TARGET 3001!
- View Logic ViewDraw
- Quadcept
- Zuken CadStar 3 and 4
- Zuken CR-5000 and CR-8000

PCB Component Libraries (EDA), PCB CAD Library Ultra Librarian

Handling Instructions

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.