

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [1200800312](#)
Status: **Active**
Overview: Brad® Ultra-Lock® Connection System
Description: Micro-Change® (M12) to Ultra-Lock® (M12) Double-Ended Cordset, 5 Poles, Female (Straight) to Male (Straight), 22 AWG, PVC Cable, 4.0m (13.12') Length

Documents:

[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

Agency Certification

CSA LR6837

General

Product Family Industrial Cordsets
 Series [120080](#)
 Connector End A Micro-Change® (M12)
 Connector End B Ultra-Lock® (M12)
 IP Rating IP69K
 Material - Contact Copper Alloy
 Overview [Brad® Ultra-Lock® Connection System](#)
 Product Name Micro-Change® (M12), Ultra-Lock® (M12)
 Protocol N/A
 Region America
 Type Double Ended
 UPC 78678884931

Physical

Cable Diameter 5.72mm (.225")
 Cable Length 4.0m (13.12')
 Color - Cable Jacket Yellow
 Coupling Style Push to Lock
 Gender Female-Male
 Keyway Single
 LED Indicator No
 Material - Cable Jacket PVC
 Material - Connector Body PUR
 Material - Coupling Nut Nickel-plated Brass
 Material - O-Ring Fluoro-elastomer
 Material - Plating Mating Gold over Nickel
 Orientation Straight to Straight
 Poles 5
 Temperature Range - Operating -25°C to +90°C
 Wire Size AWG 22
 Wire/Cable Type UL 2661

Electrical


Current - Maximum per Contact 4.0A
 Voltage - Maximum 250V AC/DC

Material Info

Engineering Number WW5030A09M040

Reference - Drawing Numbers

Sales Drawing SD-120080-001



EU ELV

Not Reviewed

EU RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
 Please visit the [Contact Us](#) section for any non-product compliance questions.

| | |
|-----------------|--------------|
| China ROHS | Not Reviewed |
| ELV | Not Reviewed |
| RoHS Phthalates | Not Reviewed |

Search Parts in this Series

[120080](#) Series

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION