

Please Note: Use the Product Drawing for	or all design activity		
Product Type Feature	es	Configuration Feature	s
Connector Type	Housing	Number of Positions	3
Mount Angle	Straight	Number of Signal Positions	0
Shell Size	17		
PCB Mount Retention	Without	Number of Power Positions	3
Shell Type	All Plastic	Environmental Protection	With
Product Series	Series 5		
Thread Size	15/16-20 UNEF-2A	Reverse Numbering	Without
Sealed	Yes	Industry Standards	
Mechanical Attachment		VDE Tested	No
Mount	Panel	RoHS/ELV Compliance	RoHS compliant, ELV complia
Mating Retention Type	Threaded Coupling	Lead Free Solder Processes	Not relevant for lead free process
Termination Feature		RoHS/ELV Compliance History	Always was RoHS compliant
Seal Type	Peripheral, Wire Entry	Environmental	
Body Features		Fluid Resistance	Immersion
Mount Style	Flange with Mounting Holes	Conditions for Usage	
Contact Features		Accepts Wire Insulation Diameter, Range (mm [in])	2.41 - 5.21 [0.095 - 0.205]
Contact Type	Socket	Other	
Reverse Gender	Reverse	Brand	AMP
Housing Features			
Connector Style	Receptacle	_	
Mating Alignment Type	Keyed		
Housing Material	Nylon (UV Resistant)	_	
Housing Color	Black		

**Related Products** 

Not quite the product you're looking for?

Find Similar Products

View Part in Product Feature Selector

Check for Tooling

Corporate Information

About TE

News Room Supplier Portal

Careers

Terms & Conditions

Privacy Policy Global Accessibility Statement

Distributor Inventory Product Cross Reference

Documents & Drawings

Product Compliance Support Center Site Map

Quick Links

**Customer Support** 

Email or Chat With Us

Knowledge Base

Keep Me Informed













© 2014 TE Connectivity Ltd. family of companies. All Rights Reserved

[+] Provide Website Feedback