

## Stripping tool - PSM-STRIP-FC/PROFIB - 2744623

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Quick stripping tool for PROFIBUS cable, type Fast Connect



### Key commercial data

Packing unit	1 pc
Weight per Piece (excluding packing)	85.6 GRM
Custom tariff number	82055980
Country of origin	Germany

### Technical data

Product type	Stripping tool
Approval	GOST
Cable diameter	6 mm ... 8 mm
Stripping length	70.00
Conductor cross section	0.75 mm <sup>2</sup> ... 1.5 mm <sup>2</sup>

### Classifications

#### eCl@ss

eCl@ss 4.0	27140816
eCl@ss 4.1	27140816
eCl@ss 5.0	27143424
eCl@ss 5.1	27143424
eCl@ss 6.0	27143424
eCl@ss 7.0	27440209
eCl@ss 8.0	21049103

#### ETIM

ETIM 2.0	EC001136
----------	----------

## Stripping tool - PSM-STRIP-FC/PROFIB - 2744623

### Classifications

#### ETIM

ETIM 3.0	EC001136
ETIM 4.0	EC000163
ETIM 5.0	EC000163

#### UNSPSC

UNSPSC 6.01	30211506
UNSPSC 7.0901	39121008
UNSPSC 11	39121008
UNSPSC 12.01	39121008
UNSPSC 13.2	39121008

### Approvals

#### Approvals

---

#### Approvals

#### GOST

---

#### Ex Approvals

---

#### Approvals submitted

---

#### Approval details

GOST 
------------------------------------------------------------------------------------------

### Accessories

#### Accessories

#### Data cable by the meter

## Stripping tool - PSM-STRIP-FC/PROFIB - 2744623

### Accessories

Cable - PSM-CABLE-PROFIB/FC - 2744652



PROFIBUS cable, Fast Connect type, up to 12 Mbps (02YSY (ST)CY 1x2x22 AWG)

---

### Stripping tool

Stripping tool - PSM-STRIP-KNIFEBLOCK - 2744636



Spare knife block for quick stripping tool

---

Stripping pliers - QUICK WIREFOX 6 - 1204384



Stripping tool for cables with PVC insulation, stripping range: 0.08 to 6 mm<sup>2</sup>, wire cutting up to 6 mm<sup>2</sup> flexible or 4 mm<sup>2</sup> rigid

---

### Drawings

## Stripping tool - PSM-STRIP-FC/PROFIB - 2744623

Catalog photo



Figure may contain other products.