

## MULTIPLE CONFIGURATION PCB HEADERS & RECEPTACLES



✓ Active

TE CONNECTIVITY (TE)

**05 MODI HDR SRRA .156CL**

AMPMODU | AMPMODU

87632-5

TE Internal Number: 87632-5

EU RoHS Compliant

EU ELV Compliant

**Number of Positions 5**

**Centerline (Pitch) 3.96 mm [.156 in]**

**Connector & Contact Terminates To** Printed Circuit Board

**Connector Style** Plug

**Header Type** Unshrouded

 **PRODUCT DRAWING**  
English

## DOCUMENTATION

Product Drawings

**HEADER ASSEMBLY, MOD I, RIGHT ANGLE, SINGLE ROW, .156 CL**

PDF [\(TIFF AVAILABLE\)](#)

English

## FEATURES

+

Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

**Connector & Contact Terminates To** Printed Circuit Board

**Connector Style** Plug

**Header Type** Unshrouded

**PCB Mounting Orientation** Right Angle

**Connector Type** Header

**Gasket** Without

**Board Standoff** Without

**Strain Relief** Without

**Product Type** Connector

**Stabilizers** Without

---

Configuration Features

**Number of Positions** 5

**Number of Rows** 1

**Keyed** Yes

**Number of Keys** 2

---

Body Features

**Post Size** .787 mm [.031 in]

---

Contact Features

**Solder Tail Contact Plating Material** Gold over Nickel

**Contact Protection** Without

**Contact Shape** Round

**Contact Base Material** Brass

**Contact Mating Area Plating Material** Gold

**Contact Type** Pin

**Contact Mating Area Plating Thickness (μin)** 15

---

Termination Features

**Termination Method to PC Board** Through Hole - Solder

**Termination Post Length** 6.985 mm [.275 in]

**Termination End Plating Thickness (μin)** 15

**Termination End Plating Material** Gold Over Nickel

---

Mechanical Attachment

**Panel Mount Retention** Without

**Mating Connector Lock** Without

**PCB Mounting Style** Through Hole

**Mating Alignment** Without

**PCB Mount Retention** Without

---

Housing Features

**Centerline (Pitch)** 3.96 mm [.156 in]

**Housing Material** Nylon

**Housing Color** Black

---

Dimensions

**Mating Post Length** 8.76 mm [.345 in]

---

Industry Standards

UL Flammability Rating UL 94V-0

Packaging Features

Packaging Quantity 125

Packaging Method Carton

## PRODUCT COMPLIANCE



Statement of Compliance

### Statement of Compliance

PDF