


NS 15 WH PERF 2000MM

Order No.: 1204096

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1204096>DIN rail, material: steel, perforated, height 5.5 mm, width 15 mm,
length: 2 m**Commercial data**

EAN	 4 017918 106430
sales group	B200
Pack	5 Pcs.
Customs tariff	72166190
Gross weight in pieces	0.28 KG
Net weight per piece	0.28 KG
Catalog page information	Page 487 (C-5-2013)

Product notesWEEE/RoHS-compliant since:
01/01/2003

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**Dimensions**

Height	5 mm
Length	2000 mm
Width	15 mm

General

Material	Steel
----------	-------

Coating	Galvanized, white passivated
Color	white
Test standard	In acc. with EN 60715: 2001
Nominal current I_N	1200 A

Certificates / Approvals



Certification

Certifications applied for:

Certification Ex:

Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact
Technical modifications reserved;