



+ CONNECTORS

TRANSISTOR SOCKETS



✓ Active

TE CONNECTIVITY (TE)
8060-1G13=GOLD TRANSISTOR SOCK

Augat | AD

8060-1G13
TE Internal Number: 1437504-6

EU RoHS Compliant with Exemptions
EU ELV Compliant with Exemptions

Number of Positions 3

Profile Low

Package TO-5

Lead Size Accepted .41 mm [.016 in]

Termination Method Printed Circuit

↓ PRODUCT DRAWING
English

↓ 3D PDF

DOCUMENTATION

Product Drawings

8058&8060 SERIES TRANSISTOR SOCK

PDF

English

CAD Files

3D PDF

PDF

3D

Customer View Model

2D_DXF.ZIP

English

Customer View Model

3D_IGS.ZIP

English

Customer View Model

3D_STP.ZIP

English

FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Terminal Configuration Contact

Profile Low

Package TO-5

Product Type Socket

Configuration Features

Number of Positions 3

Body Features

Lead Size Accepted .41 mm [.016 in]

Color Black

Insulator Material Fluoropolymer

Sleeve Plating Material Gold

Sleeve Material Brass

Contact Features

Terminal Plating Gold

Termination Method Printed Circuit

Pin Diameter 2.54 mm [.1 in]

Terminal Material Beryllium Copper

Socket Type Transistor

Usage Conditions

Operating Temperature Range (°C) -55 – 125

Industry Standards

Insulator Flammability Rating UL 94V-0

PRODUCT COMPLIANCE



Statement of Compliance

Statement of Compliance

