



承 认 书

SPECIFICATION FOR APPROVAL

客户名称

CUSTOMER:

华秋

产品规格

PROD.NAME:

EE5.0 互感器

产品名称

QH' PART NO.:

BC-EE5-2(HM33-10070)

日期

DATE:

2025-06-04

QH' DRAWING		
APPROVED	CHECKED	DRAWN
Hanke	王金武	张晚

CUSTOMER APPROVE		
APPROVED	CHECKED	DRAWN

深圳市亨磁科技有限公司

Shenzhen Hengmagnetic Technology Co., LTD

地址: 广东省深圳市观澜街道新石桥街8号源硕科技园3栋3楼

ADD: 3/F.3th Block, No. 8 Xinshiqiao Street, Guanlan Street, Shenzhen

TEL: 0755-32883752 FAX:0755-32883753

<https://www.thggrand.com>

备注: 承认盖章/签字后请回传一份承认书(或复印件)给我司

SPEC FOR APPROVAL ENGINEERING CHANGE NOTICE


[illegible]

SPECIFICATION FOR APPROVAL

PAGE: 1/2

PROD. NAME	EE5.0 互感器	QH' PART NO.	CT-EE5.0-980uH-01
		QH' ITEM NO.	BC-EE5-2(HM33-10070)


I . CONFIGURATION & DIMENSIONS: (Unit: mm)



NOTE:

1. PIN4 打白点。
2. 平貼度 0.15mm Max。
3. 磁芯点胶固定。
4. 产品不含浸处理。

II . SCHEMICAL :



III . WINDING SPECIFICATION & LAYER INSULATION:

WINDING	START	FINISH	MATERLAL	TURNS	TAPE	NOTE
N1	3	1	UEWH-0.08mm	70	2TS	close
N2	8	7	铜片	1	3TS	close

IV . ELECTRICAL CHARACTERISTICS :

Description	Pin no.	Specification	Measuring conditions	METER
Inductance	3-1	980uH Min	1KHz/0.3V	Chroma3302
Rdc	3-1	3.2Ω MAX	@25℃	Chroma16502
Turns Ratio	1-3:8-7	70:1	@25℃	Chroma3302
Hi-POT	PRI-SEC	1000V AC	5mA/3SEC	VR562

V . MATERIALS:


N0.	Item	Material	Specification	UL No.
1	Core	P4 EE5.0	ACME	N/A
2	Wire	UEW/H 180℃	PACIFIC	E201757
3	Bobbin	PM9630	SUMITOMO	E41429
4	Tape	PF-301 180℃	YAHUA	E165111
5	Epoxy	H907-HF 130℃	HUA CHUANG	E304477
7	Solder	BSD100-B Sn99.95	BOSHIDA	N/A

PROD. NAME	EE5.0 互感器	QH' PART NO.	CT-EE5.0-980uH-01
		QH' ITEM NO.	BC-EE5-2(HM33-10070)

型 式 别： ☒普通包装 ☐抗静电包装


一、作业内容：

1、每卷轴包装数量:1000PCS/R（开始与结尾留空 30~40cm 不装 COIL），贴上正确的标签, 然后放入一塑料袋(胶袋尺寸：360x460x0.1mm)内, 附一包干燥剂, 封口, 卷轴用及载带尺寸. 如图示：



卷轴尺寸（REEL DIMENSIONS）一般公差为±0.5mm

A	B	C	W
Φ330	Φ100	Φ13.0	16.5




载带尺寸（TAPE DIMENSIONS）一般公差为±0.1mm

W	A0	B0	K0	P	P1	P2	E	F	D/D1	t
16.0±0.3	6.2	8.2	5.5	12.0	4.0	2.0	1.75	7.5	1.5±0.05	0.4±0.05

2、每啤盒装 3000PCS(3 卷). 封口,贴上标签, (啤盒尺寸:338*338*78mm).

3、每箱装 6000PCS(2 盒),封口,贴上标签, (外箱尺寸:350*350*170mm).



4、外箱标签/Marking on outer case:

5、RoHS 标签



NAME/NO.	CT-EE5.0-980uH-01
LOT/NO.:	202505230012
Q'TY:	6000 PCS
G.W:	KGS