


NO. OF CONTACTS	Z-SUB HP	*	M	*	*	*	*	*	*	*	*	*
B=15PIN												
D=26PIN												
F=44PIN												
D=62PIN												
MOUNTING OPTIONS												
1=RIVETED W/SHIELD ONLY												
2=RIVETED W/FRONT RIVET												
3=RIVETED W/REAR RIVET												
4=RIVETED W/NUT RIVET												
5=RIVETED W/HEX SCREW+HEX NUT												
NUT POST HEIGHT(H)												
0=4.8mm(STD)												
1=5.8mm												

62P	55.42	63.50	69.32	2.41	8.36	12.50
44P	38.96	47.04	53.04	2.29	8.36	12.50
26P	25.25	33.32	39.14	2.29	8.36	12.50
15P	16.92	24.99	30.81	2.29	8.36	12.50
POS. NO.	A	B	C	D	E	F
	DIMENSION					



C	ECR-20049	2020/04/03	3	PLACE	mm	inch
B	ECN-19105	2019/11/15	2	PLACE	± 0.20	± 0.008
A	NEW RELEASED	2016/07/16	1	PLACE	± 0.30	± 0.012
REV.	DESCRIPTION	DATE	5	ANGLES	X° ± 3°	

UNITS: ■ mm    □ inch	SIZE A3	NAME: D-SUB焊接式PCB公端	nextron® NEXTRONICS ENGINEERING CORP.
GENERAL TOLERANCE: (UNLESS SPECIFIED)		PART NO: Z-SUBHPXMX2XXXX	TITLE: CUSTOMER DWG
4 PLACE	± **	mm	inch
3 PLACE	± **	± .20	± .008
2 PLACE	± 0.20	± 0.008	APPD: Linson 曾偉雄 2020/04/20
1 PLACE	± 0.30	± 0.012	CHKD: Linson 曾偉雄 2020/04/20
			DRAW:
			DESIGN: Lu 陳惠枝 2020/04/03
SCALE	SHEET	REV.	C
1/1	1/1	C	

CONFIDENTIAL: THIS DOCUMENT CONTAINED THE INFORMATION IS PROPRIETARY AND CONFIDENTIAL TO Nextronics Engineering Corp. NO PERSON IS ALLOWED TO USE COPY, PUBLISH OR OTHERWISE DISCLOSE THE INFORMATION TO OTHERS, UNLESS BY THE PRIOR WRITTEN EXPRESS AUTHORIZATION OF Nextronics Engineering Corp. (C)COPYRIGHT- Nextronics Engineering Corp.