



**RoHS
Compliant**

Specifications:

Application : Electronics and Solderless Wrap Connections
Multi- construction : Single

Construction

Conductor : Silver plated Copper
Jacket : ETFE
Nom. Thickness : 0.15mm
Jacket Colour : White, Black, Red, Green, Yellow, Blue, Brown, Orange, Grey and Purple
Packaging : 100m/Reel

Electrical Characteristics

Max. Conductor DC Resistance at 20°C (Ω/Km)

24AWG	87.9
26AWG	140
28AWG	223
30AWG	354

Rated Temperature : -65°C to +160°C

Rated Voltage : 300V

Insulation DC Resistance at 20°C (MΩ × KM) : >500

Part Number	5008	5009	5010	5011	5012
AWG			26		
Conductor			0.404mm		
jacket (mm)			0.7 ±0.05		

Part Number	5001	5002	5003	5004	5005	5006	5007
AWG				30			
Conductor				0.254mm			
Jacket (mm)				0.55 ±0.03			

Part Number Table

Description	Part Number
Wire Wrap, 100m, 30AWG, SPC, Green	5003
Wire Wrap, 100m, 26AWG, SPC, Green	5012
Wire Wrap, 100m, 30AWG, SPC, Blue	5002
Wire Wrap, 100m, 26AWG, SPC, Blue	5009
Wire Wrap, 100m, 30AWG, SPC, Orange	5004
Wire Wrap, 100m, 30AWG, SPC, Violet	5006
Wire Wrap, 100m, 30AWG, SPC, White	5007
Wire Wrap, 100m, 26AWG, SPC, White	5011
Wire Wrap, 100m, 30AWG, SPC, Black	5001
Wire Wrap, 100m, 26AWG, SPC, Black	5010
Wire Wrap, 100m, 30AWG, SPC, Red	5005
Wire Wrap, 100m, 26AWG, SPC, Red	5008

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-POWER is the registered trademark of the Group. © Premier Farnell plc 2012.