



TE Internal #: 5-6609955-4

Power Entry Module, Dual AC (SMPS) Input, DPST, Filter Shield, Vertical, 10 A, .187" FASTON Output, 250 VAC, Filtered, Power Entry Modules

[View on TE.com >](#)

EMI & EMC Solutions > EMI Filters > Power Entry Modules



Filter Type: **Power Entry Module**

Input Voltage Selection: **Dual AC (SMPS)**

Filter Switch Type: **DPST**

Filter Shield Type: **Filter Shield**

Product Orientation: **Vertical**

Features

Mechanical Attachment

Panel Mount Feature Type	Flange
--------------------------	--------

Dimensions

Panel Thickness (Recommended)	.79 – 2 mm[.031 – .079 in]
-------------------------------	----------------------------

Usage Conditions

Operating Temperature Range	-10 – 40 °C
-----------------------------	-------------

Configuration Features

Extender Options	None
Fuse Options	Dual

Product Type Features

Ground Choke Option	No
Filter Type	Power Entry Module
Filter Switch Type	DPST
Output Termination Type	.187" FASTON
Filtering Requirements	Filtered



Filter Connector Type	IEC 320/C-14
-----------------------	--------------

Electrical Characteristics

Input Voltage Selection	Dual AC (SMPS)
Leakage Current (Max) (120VAC, 60Hz)	250 µA
Leakage Current (Max) (250VAC, 50Hz)	500 µA
Current Rating	10 A
Operating Voltage	250 VAC

Body Features

Filter Shield Type	Filter Shield
Product Orientation	Vertical

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>




Customers Also Bought




TE Part #5747844-4
09 MSFL RCPT RA 318 (IN,FM,BL)



TE Part #5787362-7
68 50SR R/A RCPT ASSY,RDSN L/F



TE Part #924869-000
462A011-25/86-0



TE Part #823811-000
562A022-25-0



TE Part #350690-7
UMNL PIN 24-18 AUBR L/P



TE Part #CAT-HST-ATUM1
ATUM 4:1 Heat Shrink Tubing



TE Part #532491-000
CWT-13-W122-5

Documents

Product Drawings
[PE0SSDBXA=C4868](#)

English

CAD Files
Customer View Model
[ENG_CVM_5-6609955-4_A.3d_igs.zip](#)

English

Customer View Model
[ENG_CVM_5-6609955-4_A.3d_stp.zip](#)

English

Customer View Model
[ENG_CVM_5-6609955-4_A.2d_dxf.zip](#)

English

3D PDF

English

3D PDF

3D

Customer View Model
[ENG_CVM_CVM_5-6609955-4_O.2d_dxf.zip](#)

English

Customer View Model
[ENG_CVM_CVM_5-6609955-4_O.3d_igs.zip](#)

5-6609955-4

Power Entry Module, Dual AC (SMPS) Input, DPST, Filter Shield, Vertical, 10 A, .187"
FASTON Output, 250 VAC, Filtered, Power Entry Modules



English

Customer View Model

[ENG_CVM_CVM_5-6609955-4_O.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[1-1654250-1_CORCOM_EMI_RFI_QRG](#)

English