








REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
1		INITIAL RELEASE	04DEC2024	TR	RCG




SECTION B-B
SCALE 1:1
(WITH EMI SPRING)




RECOMMEND P.C.B LAYOUT
TOLERANCES: ± 0.05 ; PCB T=0.80mm




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN TARUN, R 04DEC2024	 TE Connectivity Ltd.			
DIMENSIONS: mm [INCHES]		CHK NAIR, SREEKUMAR 04DEC2024				
		APVD RAGHAVAN, CG 04DEC2024	NAME USB TYPE C PLUG 24P			
		PRODUCT SPEC 108-161682	APPLICATION SPEC			
MATERIAL -		FINISH -	SIZE A2	CAGE CODE 00779	DRAWING NO C-2495142	RESTRICTED TO -
CUSTOMER DRAWING			SCALE 1:1	SHEET 1 OF 3	REV 1	

IR HOLDER DRAWING




IR HOLDER P/N	COLOUR
560Q04-002H	BLACK
560Q04-001H	WHITE

Before IR process, need assembly IR holder to type C Plug connector.



Colour Matching

Housing Colour	Holder Colour
BLACK	BLACK
Other Colour	WHITE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN TARUN_R 04DEC2024		 TE Connectivity Ltd.			
		CHK NAIR, SREEKUMAR 04DEC2024					
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME			
		APVD RAGHAVAN, CG 04DEC2024		USB TYPE C PLUG 24P			
		PRODUCT SPEC 108-161682		-			
		APPLICATION SPEC		-			
		-					
MATERIAL		FINISH		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
-		-		A2	00779	C=2495142	-
CUSTOMER DRAWING				SCALE	1:1		SHEET
						3 of 3	REV
							1